



MANN 
geoliner 790

ACCESSORIES CATALOGUE 2024

WHEEL ALIGNERS | WHEEL BALANCERS | TYRE CHANGERS | LIFTS | INDUCTION HEATERS

ENGINEERING UNLEASHED

WHEELALIGNERS

01

WHEEL ALIGNERS

WHEELBALANCERS

09

WHEEL BALANCERS

TYRECHANGERS

39

TYRE CHANGERS

LIFTS

69

LIFTS

INDUCTIONHEATERS

77

INDUCTION HEATERS

GENERAL ACCESSORIES

INCLINOMETER

H2500770



DESCRIPTION
ROMESS CM-09606 with power supply, standard adaptor, transport case and operating instructions, 230 V, 50 Hz

COMPATIBILITY
Applicable for all

€ 6257.00

GENERAL ACCESSORIES

DATA TRANSMITTER AND CHARGING STATION

H2500772



DESCRIPTION
(Shuttle) with base plate, power supply and data transmission lead (RS 232), 230 V, 50 Hz, for ROMESS CM-09606

COMPATIBILITY
Applicable for all

€ 1532.00

GENERAL ACCESSORIES

SERIAL PC CONNECTING LEAD

H2500775



DESCRIPTION
SUB-D 9-pin, for ROMESS CM-09606

COMPATIBILITY
Applicable for all

€ 64.00

GENERAL ACCESSORIES

INTERMEDIATE ADAPTOR

H2500777



DESCRIPTION
For W163 (M class), MV ride height control of front axle, for ROMESS CM-09606

COMPATIBILITY
Applicable for all

€ 474.00

GENERAL ACCESSORIES

INTERMEDIATE ADAPTOR

H2500778



DESCRIPTION
For W163 (M class), MHN caster measurement of rear axle, for ROMESS CM-09606

COMPATIBILITY
Applicable for all

€ 616.00

GENERAL ACCESSORIES

ADAPTOR FOR VANED 414

31429



DESCRIPTION
For ROMESS CM-09606

COMPATIBILITY
Applicable for all

€ 207.00

GENERAL ACCESSORIES

USB / SERIAL CABLE KIT

EAK0334J99A



DESCRIPTION
For connection of Romess equipment w/o USB interface to wheel aligners with Embedded PC

COMPATIBILITY
Applicable for all

€ 138.00

GENERAL ACCESSORIES

RACK-CHECK TARGET KIT

EAK0320J69A



DESCRIPTION
Tool for the rack-check test procedure

COMPATIBILITY
geoliner® 790 MB-1

€ 836.00

GENERAL ACCESSORIES

TOE PRESSURE BAR

4027194

▶ DESCRIPTION

Toe pressure bar



▶ COMPATIBILITY

Applicable for all

▶ € 561.00

GENERAL ACCESSORIES

PREMIUM TURNABLE KIT

33260

▶ DESCRIPTION

50 mm high, front (pair) consisting of:
2 mechanical turntables
1 base for 50 mm height



▶ COMPATIBILITY

Applicable for all

▶ € 1170.00

GENERAL ACCESSORIES

ROLL BACK KIT

4029544

▶ DESCRIPTION

For premium turntables 31738 / 33260



▶ COMPATIBILITY

Applicable for all

▶ € 733.00

GENERAL ACCESSORIES

DUST COVER

4029541

▶ DESCRIPTION

Rubber, for premium turntables 31738 / 33260,
set = 2 off



▶ COMPATIBILITY

Applicable for all

▶ € 132.00

GENERAL ACCESSORIES

DUST COVER

8-07524A

▶ DESCRIPTION

Dust cover
For Hofmann wheel aligner terminal



▶ COMPATIBILITY

Applicable for all except geoliner®
630 and 609

▶ € 177.00

GENERAL ACCESSORIES

PADDLE KIT

4029542

▶ DESCRIPTION

For premium turntables 31738 / 33260
Kit = 2 off; 2 kits required for 2 turntables



▶ COMPATIBILITY

Applicable for all

▶ € 96.00

GENERAL ACCESSORIES

ROLL FORWARD / ROLL BACK KIT

4029543

▶ DESCRIPTION

For premium turntables 31738 / 33260



▶ COMPATIBILITY

Applicable for all

▶ € 979.00


GENERAL ACCESSORIES

PORTABLE REAR TURN/SLIP PLATES

4027190

▶ DESCRIPTION

50 mm high, +/5 (pair)




▶ COMPATIBILITY

Applicable for all

▶ € 743.00

GENERAL ACCESSORIES
1 METRE REAR SLIP PLATES **4027193**



DESCRIPTION
Ramps, 50 mm high (pair)

COMPATIBILITY
Applicable for all

€ 3189.00

GENERAL ACCESSORIES
TARGET KIT **4030246**



DESCRIPTION
For customised solutions on four-post lifts
Not for geoliner® Gen4 series

COMPATIBILITY
geoliner® 780, geoliner® 680 only
in conjunction with 4030248

€ 2149.00

GENERAL ACCESSORIES
SHIM KIT 3 DEG. **4030248**

DESCRIPTION
For use of target kit 4030246 on series
geoliner® 680
Not for geoliner® Gen4 series

COMPATIBILITY
geoliner® 680

€ 109.00

GENERAL ACCESSORIES
TIP (TARGET IMAGING POINTER) **4028515**



DESCRIPTION
Additional target for ride height measurement

COMPATIBILITY
geoliner® 670, 680, 780, 670 XD,
standard on geoliner® 680 XD and
geoliner® 790, not for geoliner®
650 XD aligners

€ 890.00

GENERAL ACCESSORIES
UPGRADE KIT ON-DEMAND RIDE HEIGHT TARGETS **EAK0320J93A**



DESCRIPTION
Contains the on-demand ride height kit (4
targets), Pro42 update and a vertical pull-out
shelf to be fixed in the cabinet for geoliner® 680
XD and geoliner® 790 with new 2015 mobile
control terminals, Pro42 software rel. 7.5.6 only

COMPATIBILITY
geoliner® 680 XD and geoliner®
790

€ 1621.00

GENERAL ACCESSORIES
LDW ADAPTOR **EAK0289J09A**



DESCRIPTION
For ADR /ACC camera without LDW feature
(former version) consisting of:
adaptor
hexagon socket setscrew
flat counter nut
3 mm bolt + 4 mm bolt
Not for geoliner® Gen4 series, geoliner® 650
XD, 670 XD and 790

COMPATIBILITY
Applicable for all except geoliner®
Gen4 series, geoliner® 650 XD,
670 XD and 790

€ 187.00

GENERAL ACCESSORIES
CONTROL CAMERA FOR ADR / ACC / LDW SYSTEM. **30958**



DESCRIPTION
Only for VAS 6331 and VAS 6421
Including EAK0289J09A LDW adaptor

COMPATIBILITY
VAS 6331 and VAS 6421

€ 3203.00

GENERAL ACCESSORIES
CONTROL CAMERA KIT **EAK0334J15A**



DESCRIPTION
Consists of:
control camera, software update Pro42 7.5.8,
cables and power supply kit to power camera.
Kit allows to calibrate 4 systems within the car:
ADS (adaptive steering)
ACC (adaptive cruise control)
LDW/FK (lane departure warning/front camera)
Night Vision
The kit requires a VAS6430 calibration board
and VAS6150 scan tool sold separately.

COMPATIBILITY
Kit requires software Pro 42
version 7.5.8 and works with
geoliner® 670 XD, 680 XD and 790
with AC100 and AC400 clamps.

€ 3196.00

GENERAL ACCESSORIES

HUB ADAPTOR KIT FOR AC100 / AC400

EAK0222J83B



DESCRIPTION

For measurement without wheels, wheel clamp to be fitted to this adaptor. 2 sets = 2 off each
Not for geoliner® 650 XD

COMPATIBILITY


Applicable for all except geoliner® 650 XD

€ 2001.00

GENERAL ACCESSORIES

SIDE MOUNT KIT

EAK0334J93A



DESCRIPTION

Mounts reference pods closer to the lift

COMPATIBILITY

geoliner® 320

€ 695.75

GENERAL ACCESSORIES

MOBILITY KIT

EAK0320J78D



DESCRIPTION

For wheel aligners with new 2015 mobile control terminal only The kit is attached to the rear side of the cabinet to accommodate the lift

COMPATIBILITY

geoliner® 660, 650 XD, 670 XD, 680 XD

€ 838.00

GENERAL ACCESSORIES

MOBILITY STAND

EAK0363J89A



DESCRIPTION

- Wheel Clamp Floor Stand for geoliner® 609

COMPATIBILITY

geoliner® 609

€ 1311.00

GENERAL ACCESSORIES

UNIVERSAL LIFT MOUNT CLAMP, SHORT

EAK0350J19A



DESCRIPTION

Recommended for installation behind the turntable; typical mounting accessory for reference pods

COMPATIBILITY


Standard on geoliner® 320

€ 1598.00

GENERAL ACCESSORIES

FLOOR-MOUNT LIFT KIT

EAK0334J61A



DESCRIPTION

geoliner® 320

COMPATIBILITY

geoliner® 320

€ 381.00

GENERAL ACCESSORIES

MOBILITY CART

EAK0363J88A



DESCRIPTION

- Mobility Cart for geoliner® 609

COMPATIBILITY

geoliner® 609

€ 858.00

GENERAL ACCESSORIES

MOBILITY KIT

EAK0305J78A



DESCRIPTION

Set of wheeled base plates + docking cleats for geoliner® 790

COMPATIBILITY

geoliner® 790

€ 1638.00

GENERAL ACCESSORIES

WHEELED BASE

EAK0305J58A



DESCRIPTION
for geoliner® 790
Additional wheeled bases for installation in various alignment bays

COMPATIBILITY
geoliner® 790

€ 1531.00

GENERAL ACCESSORIES

DOCKING CLEATS

EAK0305J77A



DESCRIPTION
for geoliner® 790 / 795
Additional docking cleats for wheel base plates for installation in various alignment bays (set of 2)

COMPATIBILITY
geoliner® 790 / 795

€ 212.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

DUAL TALL SUPPORT KIT

EAK0289J80A



DESCRIPTION
"To retrofit geoliner® 650 / 670 / 680 no supports of Pro32, Gen4 and XD series with dual tall supports for the camera beam. Height adjustable from 109 cm (43") to 180 cm (71")"

COMPATIBILITY
geoliner® 650 / 670 / 680

€ 1102.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

CENTRE TALL SUPPORT KIT

4031236



DESCRIPTION
"To retrofit geoliner® 650 / 670 / 680 no supports of Pro32, Gen4 and XD series with a centre tall support for the camera beam Height adjustable from 109 cm (43") to 180 cm (71")"

COMPATIBILITY
geoliner® 650 / 670 / 680

€ 553.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

DUAL SHORT SUPPORT KIT

EAK0289J81A



DESCRIPTION
"To retrofit geoliner® 650 / 670 / 680 no supports of Pro32, Gen4 and XD series with dual short supports for the camera beam. Height adjustable from 48.2 cm (19") to 87 cm (34.25")"

COMPATIBILITY
geoliner® 650 / 670 / 680

€ 1102.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

CENTRE SHORT SUPPORT KIT

4031234



DESCRIPTION
"To retrofit geoliner® 650 / 670 / 680 no supports of Pro32, Gen4 and XD series with a centre short support for the camera beam Height adjustable from 48.2 cm (19") to 87 cm (34.25")"

COMPATIBILITY
geoliner® 650 / 670 / 680

€ 553.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

TILT CAMERA BEAM

4031154



DESCRIPTION
To be fitted on wall when neither lift version, nor either of the support versions can be used

COMPATIBILITY
geoliner® 650 / 670 / 680, Gen4 and XD series and no-tilt versions of geoliner® 610 and 630

€ 2492.00

WHEEL CLAMP ACCESSORIES

TYRE CLAMP KIT

4029276



DESCRIPTION
Set of 4 tyre quick clamps
Set of 3 x 16 claw sleeves (three different types)
For 4029327, 4029328 and geoliner® Gen4 series


COMPATIBILITY
geoliner® Gen4 series

€ 1994.00

WHEEL CLAMP ACCESSORIES

AC400 WHEEL CLAMP KIT

EAK0320J35A



► DESCRIPTION

For retrofit on geoliner® 670 XD AC100 and 680 XD AC100,
Consists of:
4 AC400 wheel clamps
4 XD targets
TID is required before using these clamps

► COMPATIBILITY

geoliner® 670 XD AC100 and 680 XD AC100

► € 4605.00

WHEEL CLAMP ACCESSORIES

AC100 UNIVERSAL WHEEL CLAMP KIT

EAK0305J83A

► DESCRIPTION

For retrofit on geoliner® 790 AC100,
consists of:
4 Universal wheel clamps AC100 (2 front / 2 rear)
4 XD targets
Comes standard with geoliner® 790 AC100

► COMPATIBILITY

geoliner® 790 AC100

► € 5606.00

WHEEL CLAMP ACCESSORIES

"4" EXTENSION KIT"

30926



► DESCRIPTION

For use on universal wheel clamps AC100 & AC200
(set of 16 off for 4 wheel clamps)

► COMPATIBILITY

► € 667.00

WHEEL CLAMP ACCESSORIES

TWO-SIDED CLAW

4029108



► DESCRIPTION

1 kit per clamp

► COMPATIBILITY

geoliner® 630

► € 190.98

WHEEL CLAMP ACCESSORIES

AC100 UNIVERSAL WHEEL CLAMP KIT

EAK0320J36A



► DESCRIPTION

For retrofit on geoliner® 670 XD AC400 and 680 XD AC400,
Consists of:
4 universal wheel clamps
4 XD targets
TID is required before using these clamps

► COMPATIBILITY

geoliner® 670 XD AC400 and 680 XD AC400

► € 4605.00

WHEEL CLAMP ACCESSORIES

AC400 WHEEL CLAMP KIT

EAK0305J85A

► DESCRIPTION

For geoliner® 790 and 795
For retrofit on geoliner® 790,
consists of:
4 AC400 quick wheel clamps
4 XD targets
Comes standard with geoliner® 795 and 790 AC400

► COMPATIBILITY

For geoliner® 790 and 795
For retrofit on geoliner® 790

► € 5606.00

WHEEL CLAMP ACCESSORIES

"2" EXTENSION KIT"

4031262



► DESCRIPTION

For universal wheel clamps A100 / AC200 / AC700 to be used for big wheels (with deep hub)
(set of 16 off for 4 wheel clamps)
Wheel clamps not included in delivery!

► COMPATIBILITY

► € 502.00

WHEEL CLAMP ACCESSORIES

AC 400 DUAL WHEEL ADAPTOR KIT

EAK0305J50A



► DESCRIPTION

Extension for AC400
Set of 6 x EAA0381J05 for 2 AC400 wheel clamps

► COMPATIBILITY

► € 405.00

WHEEL CLAMP ACCESSORIES

LOW PROFILE TYRE WHEEL CLAMP ADAPTORS

EAK0268J40B



DESCRIPTION

For low profile tyres of small cars in conjunction with universal wheel clamps AC100 / AC 200, not for use on AC400 clamps Set = 4 off, 16 off needed for an aligner

► **COMPATIBILITY**

► **€ 158.00**

SERVICE TOOLS

CALIBRATION KIT

34443



DESCRIPTION

In conjunction with calibration kits 4027185 and EAK0305J09B for calibration of all current wheel aligners.

► **COMPATIBILITY**

► **€ 298.00**

SERVICE TOOLS

3D CALIBRATION KIT

29522



DESCRIPTION

For 3D aligners

► **COMPATIBILITY**

All 3D wheel aligners

► **€ 2788.00**

SERVICE TOOLS

UPGRADE KIT FOR ISO CALIBRATION TOOL

EAK0320J38A

DESCRIPTION

For ISO verification of all 3D wheel aligners with AC400 wheel clamps in conjunction with Iso calibration tool prior to 12.2014

► **COMPATIBILITY**

► **€ 2095.00**

SOFTWARE

VEHICLE SPECS PACKAGE

CONTAINS:

PRO32 CD (3-980266L1)
PRO32 USB (3-828266W1)
PRO42 (3-799266B1)
CONNECTED (EAK0334J92B)

► **DESCRIPTION**

Comprehensive vehicle specifications for wheel alignment with a coverage of 35 years. Up to 3 updates a year ensure customers always have access to the most up-to-date information based on OEM updates and technical service bulletins. For the vehicle specs we do not take over any warranty for discrepancies whatsoever from car makers specs.

► **COMPATIBILITY**

SERVICE TOOLS

ADAPTOR KIT FOR AC400 WHEEL CLAMPS

EAK0305J09B



► **DESCRIPTION**

2 Paddles In conjunction with 3D calibration kits 4027185 and 34443 for calibration of all current wheel aligners.


► **COMPATIBILITY**

► **€ 2014.00**

SERVICE TOOLS

ISO CALIBRATION TOOL

4029727



► **DESCRIPTION**

For ISO verification of all Snap-on CCD and 3D wheel aligners Redesigned 12.2014 for additional use of wheel aligners with AC400 wheel clamps

► **COMPATIBILITY**

► **€ 14083.00**

GENERAL ACCESSORIES

PEDAL DEPRESSOR ASSY

28115



► **DESCRIPTION**

Extends to the brake pedal and helps to lock it into position

► **COMPATIBILITY**

► **€ 60.00**

GENERAL ACCESSORIES

SUPPORT ASM, MOVABLE BEAM **4029004**

▶ DESCRIPTION

Movable camera beam support

▶ COMPATIBILITY

▶ € 6372.00

GENERAL ACCESSORIES

KIT VRS 6421/1 **4030929**

▶ DESCRIPTION

50 mm high, front (pair) consisting of:
2 mechanical turntables
1 base for 50 mm height



▶ COMPATIBILITY

▶ € 1170.00

GENERAL ACCESSORIES

MOBILITY KIT **EAK0320J78B**

▶ DESCRIPTION

Mobility Kit

▶ COMPATIBILITY

▶ € 838.00

TRUCK ACCESSORIES

5-ARM CENTRING STAR

EAK0279G56A



► **DESCRIPTION**

5-Arm star, 5 Bolts, 5 Knurled nuts. Stud-hole location of truck wheels with pitch circle diameters of 10 x 335 / 10 x 285 / 10 x 225

► **COMPATIBILITY**

► **€ 751.00**

TRUCK ACCESSORIES

TRUCK PRE-CENTRING RING

30616



► **DESCRIPTION**

"For 202 mm centre bore diameter, to clamp latest light-truck rims of 17.5" and 19.5" diameter with the 3-arm centring star"

► **COMPATIBILITY**

geodyna® 980L, 4800-2L

► **€ 199.00**

TRUCK ACCESSORIES

TRUCK PROFESSIONAL CLAMPING KIT

4028764



► **DESCRIPTION**

4-Arm star, 5-Arm star, 5 Bolts, 5 Knurled nuts. Stud-hole location of truck wheels with pitch circle diameters of 10 x 335 mm, 10 x 285 mm, 10 x 225 mm, 8 x 275 mm, 8 x 285 mm

► **COMPATIBILITY**

geodyna® 980L, 4800-2L

► **€ 1441.00**

CONE ADAPTOR FOR CAR / LIGHT-TRUCK WHEELS

MZV-4 CONE ADAPTOR

4028845



► **DESCRIPTION**

"For tapered shafts, with spring-suspended inner cone, consisting of: 1 Tapered basic body with clamping flange and long adaptorsleeve, 1 Plastic wing-type quick nut with clamping head 1 Spacer 20 mm long, 3 cones (1.7-3.2" - 42-80mm) (2.8-3.9" - 72-99mm) (3.8-4.6" - 96-116mm) diameter. For steel and alloy rims with centre bore of Ø 43115 mm, on the condition the centre bore inner side is machined sufficiently accurate."

► **COMPATIBILITY**

geodyna car wheel balancers with tapered shaft. Not for use on wheel balancers with integrated shaft or Power Clamp device. Also for use on truck wheel balancers geodyna 980L and 4800L.

► **€ 1257.00**

TRUCK ACCESSORIES

3-ARM CENTRING STAR

30380



► **DESCRIPTION**

3-Arm star, 3 Bolts, 3 Knurled nuts. Stud-hole location of truck wheels with pitch circle diameters of 170 / 184,15 / 205 / 222,25 / 245 mm. Use of pre-centring ring 30616 is recommended.

► **COMPATIBILITY**

geodyna® 980L, 4800-2L

► **€ 510.00**

TRUCK ACCESSORIES

TRUCK STANDARD CLAMPING KIT

4028713



► **DESCRIPTION**

Includes: 1 Cone 198-225 mm, 1 Cone 270-286.5 mm

► **COMPATIBILITY**

geodyna® 980L, 4800-2L

► **€ 789.00**

TRUCK ACCESSORIES

TRUCK BOLTS

30381



► **DESCRIPTION**

(1 off) for Alcoa rims, to be used on 4-arm and 5-arm star

► **COMPATIBILITY**

geodyna® 980L, 4800-2L

► **€ 68.00**

ACCESSORIES FOR CONE ADAPTOR

CENTRING CONE Ø 72-99 MM

25518



► **DESCRIPTION**

For rims with centre bore of Ø 73-98 mm.

► **COMPATIBILITY**

► **€ 160.00**


WHEEL BALANCERS

ACCESSORIES FOR CONE ADAPTOR**CENTRING CONE Ø 42-80 MM****25517****DESCRIPTION**

For rims with centre bore of Ø 43-79 mm

COMPATIBILITY

All car wheel balancers with VPM system, except geodyna 800

€ 68.00**ACCESSORIES FOR CONE ADAPTOR****CENTRING CONE Ø 195-Ø 214 MM****25790****DESCRIPTION**

For light-truck rims, steel rims with centre bore of Ø 196 - 213 mm. For wheels of less than 65 kg and for maximum overall diameter of 900 mm. To be applied only from the outside and in conjunction with spacer ring 24937.

COMPATIBILITY**€ 437.00****ACCESSORIES FOR CONE ADAPTOR****CLAMPING PLATE ASSEMBLY (PLASTIC) Ø 200 MM****25314****DESCRIPTION**

For alloy rims with lock ring, or rims with wheel cap clamps.

COMPATIBILITY**€ 137.00****ACCESSORIES FOR CONE ADAPTOR****"2" SPACER"****201260****DESCRIPTION**

"To add another 2" between rim contact surface and machine cabinet. For wide car rims with high offset."

COMPATIBILITY**€ 463.00****ACCESSORIES FOR CONE ADAPTOR****CENTRING CONE Ø 113-170 MM****24936****DESCRIPTION**

For steel and alloy rims with centre bore of Ø 114 - 169 mm, on the condition the centre bore outer side is machined sufficiently accurate. To be applied only from the outside and in conjunction with spacer ring 24937.

COMPATIBILITY**€ 334.00****ACCESSORIES FOR CONE ADAPTOR****PROTECTIVE CAP****30340****DESCRIPTION**

Added to the clamping head, it prevents alloy wheels from being damaged when clamped on the MZV adaptor.

COMPATIBILITY

For use with MZV, MZV-2, MZV-3 cone adaptors only

€ 46.00**ACCESSORIES FOR CONE ADAPTOR****REINFORCED CLAMPING HEAD****30355****DESCRIPTION**

Sturdy design, to clamp rims with a centring diameter of Ø 42-96 mm.

COMPATIBILITY**€ 165.00****ACCESSORIES FOR CONE ADAPTOR****SPACER RING (PLASTIC)****24937****DESCRIPTION**

For light-truck rims which are clamped using special centring cones ref. no. 24936 and 25790, or using a stud-hole flange.

COMPATIBILITY**€ 322.00**

CENTRING RINGS FOR CONE ADAPTORS

SET OF 9 CENTRING RINGS **EAK0315G93A**



DESCRIPTION
"52.5-122 mm / 2" 4.8"'''

► **COMPATIBILITY** ► **€ 575.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

BMW CLAMPING KIT **8-02691A**



DESCRIPTION
Consisting of:
Stepped tapered centring ring 56 / 57 / 72.5 / 74 mm -
4028860 Stud-hole flange FP BMW (4x100 / 5x120)
5 EAK0306G42A bolts (100 mm long)
EAM0087G85A flange plate (5x112 / 5x120)
EAM0087G84A collet

► **COMPATIBILITY** ► **€ 2250.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

BMW KIT 2013+ **EAK0306G43A**



DESCRIPTION
Consisting of:
1 Tapered centring ring
1 Stud-hole flange
5 Centring bolts 100 mm long
Designed for the new BMW Mini 2013+ and the new BMW cars 2013+ with centre bore dia. 66.5 mm and pitch circle dia of 5 x 112 mm - Upgrade kit of 4028997 made for all BMW until 2012

► **COMPATIBILITY** ► **€ 1296.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

LONG BOLTS FOR BMW CLAMPING KIT **EAK0279G46A**



DESCRIPTION
5 Centring bolts 120 mm long to clamp BMW X5 rims on FB BMW (kit 4028997 / 8-02691A)

► **COMPATIBILITY** ► **€ 318.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

MB CENTRING KIT **EAK0315G21A**



DESCRIPTION
Consisting of:
1 Tapered centring ring Ø 66.42 - 66,50 / 84 mm
1 Tapered centring ring Ø 57 / 60 mm
1 Tapered centring ring Ø 161 mm
To be used in conjunction with standard wheel balancers

► **COMPATIBILITY** ► **€ 785.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

ACCESSORY KIT FOR MERCEDES-BENZ CAR WHEEL **30354**



DESCRIPTION
Accessory kit for Mercedes-Benz car wheels
Consisting of:
1 x Protective cap
1 x Cone Ø 62-88 mm
Mercedes-Benz recommends use of the accessory kit together with the MZV cone adaptor. It allows to clamp all MB car and model G wheels.

► **COMPATIBILITY** ► **€ 185.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

CENTRING SET MB SPRINTER / VW CRAFTER **35382**



DESCRIPTION
For light trucks MB Sprinter and VW Crafter, pitch circle dia. 6 x 130 mm

► **COMPATIBILITY** ► **€ 540.00**

Car & truck wheel balancers

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

LIGHT-TRUCK KIT **4026401**



DESCRIPTION
To handle light-truck wheels, consisting of spacer ring and cone 122-172 mm

► **COMPATIBILITY** ► **€ 486.00**

geodyna 930, 935, 980, 985, 985-2, 990, 990-2, 4300/p, 4300-2/p, 4500/p, 4500-2/p, 4800, 4801/p, 4900/p, 6300/p, 6300-2/p, 6800/p, premium, 6900p, optima, optima II / plus, 980L, 4800L and series geodyna 7100, 7200, 7300, 7500, 7340, 7600 as well as 7700/p, 7750p, 7800p, 7850p, 8200p, 8250p, 9000p

WHEEL BALANCERS

STUD-HOLE FLANGES FOR CONE ADAPTORS**UNIVERSAL FLANGE PLATE FPM-I****32052****DESCRIPTION**

For 3, 4 and 5 stud rims
Pitch circle dia. adjustable to 91 - 205 mm
Bolts 4029774 or 4029775 to be ordered separately.

COMPATIBILITY**€ 895.00****STUD-HOLE FLANGES FOR CONE ADAPTORS****FP QUICK 5****35375****DESCRIPTION**

For 5 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
5 x 35378
5 x 35381

COMPATIBILITY**€ 1247.00****STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE****SET OF FP QUICK FLANGES P****EAK0315G25A****DESCRIPTION**

Set consisting of wall board & FP Quick 4, 5 and 6 for 4-, 5- and 6-stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
6 x 35377, 5 x 35378, 6 x 35380, 5 x 35381

COMPATIBILITY**€ 4244.00****STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE****FP QUICK 4 P****EAK0315G26A****DESCRIPTION**

For 4 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
4 x 35377

COMPATIBILITY**€ 1251.00****STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE****FP QUICK 5 P****EAK0315G27A****DESCRIPTION**

For 5 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
5 x 35378
5 x 35381

COMPATIBILITY**€ 1449.00****STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE****FP QUICK 6 P****EAK0315G28A****DESCRIPTION**

Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
6 x 35380

COMPATIBILITY**€ 1692.00****CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I****CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052****4029774****DESCRIPTION**

1 Set = 5 off - Ø 24 mm - L 92 mm
Spherical centring head, not spring-suspended

COMPATIBILITY**€ 114.00****CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I****CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052****4029775****DESCRIPTION**

1 Set = 5 off - Ø 24 mm - L 100 mm
Centring cone, spring-suspended

COMPATIBILITY**€ 319.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I

CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052 **EAK0279652A**



DESCRIPTION
1 Set = 5 off - Ø 24 mm - L 82.5 mm
Centring cone

► **COMPATIBILITY** ► **€ 106.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I

CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052 **EAK0279653A**



DESCRIPTION
1 Set = 5 off - Ø 22 mm - L 70 mm
Centring cone

► **COMPATIBILITY** ► **€ 106.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK **35377**



DESCRIPTION
1 off, short taper head
Overall length 80 mm - Ø 24.5 mm

► **COMPATIBILITY** ► **€ 22.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK **35378**



DESCRIPTION
1 off, spherical head
Overall length 90 mm - Ø 24.5 mm

► **COMPATIBILITY** ► **€ 22.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK **35379**



DESCRIPTION
1 off, Overall length 80 mm - Ø 34 mm
Special bolt for Range Rover + Land Rover

► **COMPATIBILITY** ► **€ 22.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK **35380**



DESCRIPTION
1 off, long taper head
Overall length 100 mm - Ø 22.5 mm

► **COMPATIBILITY** ► **€ 22.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK **35381**




DESCRIPTION
1 off, long taper head
Overall length 100 mm - Ø 19 mm

► **COMPATIBILITY** ► **€ 22.00**

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

PIN KIT - QUICK PLATES FOR AUDI **EAK0375688A**



DESCRIPTION
Kit 6 pins for HAWEKA quick plate Audi Q7 and Audi A8

► **COMPATIBILITY** ► **€ 318.00**

UNIVERSAL ADAPTORS FOR CAR / LIGHT TRUCKS

SCA UNIVERSAL CLAMPING ADAPTOR

4025313



DESCRIPTION

Infinitely adjustable, for wheel balancers with tapered shaft, consisting of:
 1) SCA flange
 2) Gauge
 3) 5 x Fixed cones
 4) 5 x Tapered pressure piece
 5) 5 x Spherical pressure piece
 6) Chuck and fastening screws
 7) 5 x Lugs
 8) 5 x Knurled nuts
 9) Knurled nuts for p-type balancers
 10) Wrench (width across flats 14 mm)
 For all 3-, 4- and 5-stud rims which are stud-hole located. Pitch circles of Ø 95-215 mm are infinitely and centrally adjustable. Use on wheel balancers with tapered shaft.
 Attention: When SCA is used on geodyna "p" with tapered shaft, one of the knurled nuts supplied with the balancer will have to be used.

COMPATIBILITY

Use on wheel balancers with tapered shaft

€ 1269.00

CENTRING RINGS FOR USV / SCA / SLV / USV-S / SLV-P

KIT OF CENTRING RINGS FOR SCA

4029256



DESCRIPTION

Consisting of:
 30346 (55 mm ring)
 30360 (58 mm ring)
 30347 (60 mm ring)
 30371 (65 mm ring)

COMPATIBILITY

€ 306.00

SUPPLEMENTS TO USV / USV-S / SCA / SCA-I

LONG CENTRING NUT (1 OFF) FOR PEUGEOT 106-806 / CITROËN

30379



DESCRIPTION

For Peugeot 106-806 / Citroën (1 off)

COMPATIBILITY

€ 37.00

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

RIM WIDTH CALLIPERS

4007580



DESCRIPTION

For car wheels

COMPATIBILITY

€ 49.00

UNIVERSAL ADAPTORS FOR CAR / LIGHT TRUCKS

SCA-I UNIVERSAL CLAMPING ADAPTOR

4026608



DESCRIPTION

For wheel balancers with integrated flange
 For all 3-, 4- and 5-stud rims which are stud-hole located. Pitch circles of Ø 95-215 mm are infinitely and centrally adjustable.

COMPATIBILITY

To be used on wheel balancers with integrated flange such as geodyna 960, 3900 / S, 4550, 7100, 7200, 7300, 7340, 7500, 7600

€ 1005.00

CENTRING RINGS FOR UNIVERSAL ADAPTOR SCA-I

KIT OF CENTRING RINGS FOR SCA-I

4029239



DESCRIPTION

Consisting of:
 27250 (55 mm ring)
 27251 (57 mm ring)
 27252 (58 mm ring)
 27253 (60 mm ring)
 27254 (65 mm ring)

COMPATIBILITY

€ 382.00

SUPPLEMENTS TO USV / USV-S / SLV FOR USE WITH GEODYNA® 3000P OR 3001P

"P" KIT

29224



DESCRIPTION

Consisting of 1 x fastening nut & set of fitting instructions
 For wheel balancers with tapered shaft

COMPATIBILITY

For wheel balancers with tapered shaft geodyna 3000p, 3500p, 5000p, 5500p and 3001p, 3501p, 5001p, 5501p

€ 60.00

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

BW 3030A WHEEL LIFT

EEWB910AER



DESCRIPTION

Automatically raises the wheel at the shaft height previously memorized
 It synchronizes with the balancer clamp device
 Automatically raises or lowers the wheel according to the power clamp operations
 No compressed air connection is required

COMPATIBILITY

geodyna 7340p

€ 5160.00

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

BW 2010 WHEEL LIFT FOR WHEELS OF UP TO 70 KG

EAK0306G66A



► **DESCRIPTION**

For use with the following Hofmann wheel balancers

► **COMPATIBILITY**


geodyna® 7100, 7200, 7300, 7500, 7340, 7600

► **€ 1303.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

STORAGE PEGS

4027370



► **DESCRIPTION**

Set consists of 4 pegs for stud-hole flanges / cones, etc.

► **COMPATIBILITY**

► **€ 42.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

SUPPORT FOR ROTATING BRUSH FOR RIM

EAK0329G33A



► **DESCRIPTION**

► **COMPATIBILITY**

geodyna 7700/p, 7750p, 7800-2p, 7850-2p, 8200-2p and 8250-2p

► **€ 44.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

MAGNETIC TOOL HOLDER

EAK0317G96A



► **DESCRIPTION**

Flexible solution to position small tools in the most comfortable place possible

► **COMPATIBILITY**

For use on all wheel balancers

► **€ 57.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

BW2015 WHEEL LIFT

8-03191A



► **DESCRIPTION**

For L Cabinet Balancers

► **COMPATIBILITY**

L Cabinet Balancers

► **€ 2032.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

SUPPORT FOR TAPE WEIGHT ROLLER

EAA0439G13A



► **DESCRIPTION**

► **COMPATIBILITY**

geodyna 7700/p, 7750p, 7800-2p, 7850-2p, 8200-2p and 8250-2p

► **€ 119.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

CLAMPING SLEEVE HOLDER

EAK0330G12A



► **DESCRIPTION**

e.g. for quick nut and Power Clamp™ sleeve

► **COMPATIBILITY**

Standard with geodyna 7340, option for geodyna® 7200s, 7300, 7500 and 7600 series

► **€ 64.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

4-PORT USB HUB

3-05409A



► **DESCRIPTION**

To increase number of ports from 1 standard port to 4.
Options connected via USB to geodyna optima II / plus / 9000p are: OptiLine kit, RFV kit, printer and software client

► **COMPATIBILITY**

► **€ 132.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

SOFTWARE CLIENT

EAK0317651A



► DESCRIPTION

"PC software "Network 2" to allow Remote data reporting, Data backup, Personalization of job reports, and Remote printing."

► COMPATIBILITY

All geodyna 9000p manufactured prior to November 2015 will need software upgrade 4.6.1 or higher. All geodyna 7800p, geodyna 7850p, geodyna 8200p and geodyna 8250p manufactured prior to June 2017 will also need software upgrade 5.1.17 or higher.

► € 427.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "STANDARD" AND ACCESSORIES

"KIT 3/4" SHAFT FOR HARLEY-DAVIDSON"

4026414



► DESCRIPTION

"Consisting of special adaptor shaft (3/4" dia.), knurled nut, 2 sleeves (1" outer dia.) For Harley-Davidson"

► COMPATIBILITY

► € 502.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "P" (TAPERED FLANGE) AND ACCESSORIES

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "P"

4028063



► DESCRIPTION

Consisting of base flange, centring shaft 14x315 mm, centring bush 17 mm, cones 21-35 mm + 15-25 mm, spacer 25x40 mm + 25x15 mm, bushes 17 mm + 20 mm, knurled nut M14x1.5 mm, hooked wrench
Motorcycle wheels with hub of Ø 14 - Ø 35 mm.

► COMPATIBILITY

► € 1341.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "P" (TAPERED FLANGE) AND ACCESSORIES

KIT 10 MM SHAFT

4028497



► DESCRIPTION

Consisting of shaft Ø 10 mm, knurled nut, 2 short spacers, 2 cones, 1 long spacer
For light motorcycles of Honda and Kawasaki. To be used for 10-12 mm centring diameters only. Shaft will badly deform under heavy wheels.

► COMPATIBILITY

► € 361.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "STANDARD" AND ACCESSORIES

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "STANDARD"

4024935



► DESCRIPTION

Consisting of base flange, centring shaft 14x315 mm, centring bush 17 mm, cones 21-35 mm+ 15-25 mm, spacer 25x40 mm + 25x15 mm, bushes 17 mm + 20 mm, knurled nut M14x1.5 mm, hooked wrench. Motorcycle wheels with hub of Ø 14 - Ø 35 mm.

► COMPATIBILITY

► € 1316.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "STANDARD" AND ACCESSORIES

KIT 10 MM SHAFT

4026585



► DESCRIPTION

Consisting of shaft Ø 10 mm, knurled nut, 2 short spacers, 2 cones, 1 long spacer
For light motorcycles of Honda and Kawasaki. To be used for 10-12 mm centring diameters only. Shaft will badly deform under heavy wheels.

► COMPATIBILITY

► € 641.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "P" (TAPERED FLANGE) AND ACCESSORIES

"KIT 3/4" SHAFT FOR HARLEY-DAVIDSON"

30372



► DESCRIPTION

"Consisting of special adaptor shaft (3/4" dia.), knurled nut, 2 sleeves (1" outer dia.) For Harley-Davidson"

► COMPATIBILITY

► € 390.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "P" (INTEGRATED FLANGE) & ACCESSORIES

MOTORCYCLE WHEEL ADAPTOR

4026397



► DESCRIPTION

For all balancers with integrated flange

► COMPATIBILITY

► € 1341.00

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "1" (INTEGRATED FLANGE) & ACCESSORIES
WINGS **26900**



► **DESCRIPTION**
 Handle for nut of motorcycle wheel adaptor 4026397 on balancers with integrated shaft

► **COMPATIBILITY** ► **€ 83.00**


UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "1" (INTEGRATED FLANGE) & ACCESSORIES
KIT 10 MM SHAFT **4026412**



► **DESCRIPTION**
 To be used with 4026397

► **COMPATIBILITY** ► **€ 641.00**

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "1" (INTEGRATED FLANGE) & ACCESSORIES
ADAPTOR FOR HONDA-YAMAHA GTS 1000 MONOLEVER **4026417**



► **DESCRIPTION**
 For all balancers with integrated shaft

► **COMPATIBILITY** ► **€ 517.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
CENTRING SET FOR BMW MOTORCYCLE WHEELS **4026415**



► **DESCRIPTION**
 Consisting of: 1 centring flange / 3 centring screws / 1 socket screw wrench. For BMW motorcycles with rear wheel monolever.

► **COMPATIBILITY** ► **€ 321.00**

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "1" (INTEGRATED FLANGE) & ACCESSORIES
14 MM SHAFT **26774**



► **DESCRIPTION**
 Length 284,5mm, to be used with 4026397 on balancers with integrated shaft

► **COMPATIBILITY** ► **€ 451.00**

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "1" (INTEGRATED FLANGE) & ACCESSORIES
"KIT 3/4" SHAFT FOR HARLEY DAVIDSON" **4026413**



► **DESCRIPTION**
 To be used with 4026397

► **COMPATIBILITY** ► **€ 502.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
ARM PROTECTOR KIT FOR MOTORCYCLE ADAPTOR **EAK0341668A**



► **DESCRIPTION**
 Pair of rubber protectors for the m/c adaptor, increasing wheel retention grip. To be used with heavy wheel to avoid slippage when spinning. Compatible with m/c adaptors 4026397, 4024935 and 4028063

► **COMPATIBILITY** ► **€ 42.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
BMW ADAPTOR KIT **EAK0279650A**



► **DESCRIPTION**
 Consisting of: 4 x special screws / 1 x Allen key For use with 4026415

► **COMPATIBILITY** ► **€ 148.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
ADAPTOR FOR BMW MOTORCYCLES 4028853



DESCRIPTION
 Consisting of: 1 x basic adaptor / 1 x centring cone / 1 x clamping ring / 1 x Allen wrench (width across flats 6 mm)
 For BMW K25 and F650CS motorcycle rear wheels Note: Quick nut must be available!

▶ **COMPATIBILITY** ▶ **€ 829.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
CENTRING SET 4026293



DESCRIPTION
 For Piaggio / Vespa motor scooter wheels, for 14 mm shaft diameter

▶ **COMPATIBILITY** ▶ **€ 271.00**


ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
ADDITIONAL SLEEVE 15 MM 30352



DESCRIPTION
 To be used with ball and tapered roller bearings of Ø 15 mm. Two sleeves are necessary to accommodate the wheel.
 For BMW, Yamaha, Moto Guzzi

▶ **COMPATIBILITY** ▶ **€ 78.00**

TRUCK ACCESSORIES
ADAPTOR 30392



DESCRIPTION

▶ **COMPATIBILITY** ▶ **€ 910.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
ADAPTOR FOR 14 MM SHAFT 4026219



DESCRIPTION
 For Moto Guzzi, NTV, Suzuki Ø 16 - Ø 45 mm (set = 2 off)

▶ **COMPATIBILITY** ▶ **€ 245.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS
ADDITIONAL SLEEVE 25 MM 30363



DESCRIPTION
 To be used with ball and tapered roller bearings of Ø 25 mm. Two sleeves are necessary to accommodate the wheel.
 For BMW K100 front wheel, Kawasaki

▶ **COMPATIBILITY** ▶ **€ 60.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS
CENTRING SET MB SPRINTER / VW CRAFTER 35382



DESCRIPTION
 For light trucks MB Sprinter and VW Crafter, pitch circle dia. 6 x 130 mm

▶ **COMPATIBILITY** ▶ **€ 540.00**
 Car & truck wheel balancers

TRUCK ACCESSORIES
CAR CONE KIT FOR TRUCK WHEEL BALANCERS 4029066



DESCRIPTION
 "Consisting of:
 Centring cone 42-80 mm dia.
 Centring cone 72-99 mm dia.
 Centring cone 3.8-4.6" - 96-116mm dia.
 Drum cushion and rubber protection"

▶ **COMPATIBILITY** ▶ **€ 453.00**

TRUCK ACCESSORIES

TRUCK RIM WIDTH CALLIPERS

4009488



DESCRIPTION

For truck wheels. Comes standard with geodyna 980L and 4800-2L

▶ **COMPATIBILITY**

▶ **€ 59.00**

TOOLS

WEIGHT REMOVING TOOL

4025573



DESCRIPTION

For easy and gentle removing of adhesive balance weights from delicate alloy rims

▶ **COMPATIBILITY**

▶ **€ 34.00**

SERVICE TOOLS

CALIBRATION TOOL FOR ULTRASONIC SENSOR

4029755



DESCRIPTION

For calibration of the ultrasonic sensors of all wheel balancers with Smart Sonar

▶ **COMPATIBILITY**

▶ **€ 234.00**

SERVICE TOOLS

SPACER FOR PRELOADING OF PIEZOELECTRIC TRANSDUCERS

EAA0470G84A



DESCRIPTION

For alloy vibratory systems only, replaces EAM0117G93A and EAM0122G95A as of March 2018
Optimises the mechanical preloading of piezoelectric transducers giving a long-lasting stability to the balancer accuracy

▶ **COMPATIBILITY**

▶ **€ 577.00**

TOOLS

UNIVERSAL WEIGHT PLIERS

8-04250A



DESCRIPTION

To fit balance weights on the rim flange.

▶ **COMPATIBILITY**

▶ **€ 108.00**

SERVICE TOOLS

TEST ROTOR - CAR & TRUCK WB

25406



DESCRIPTION

For checking measurement accuracy and for calibration of off-the-vehicle car wheel balancers, including calibration rod and 4 mm calibration ring

▶ **COMPATIBILITY**

▶ **€ 2514.00**

SERVICE TOOLS

LASER CALIBRATION DEVICE

EAA0362G16A



DESCRIPTION

For calibration of laser and cameras of geodyna optima II / plus

▶ **COMPATIBILITY**

▶ **€ 1815.00**

SERVICE TOOLS

MONITOR SUPPORT KIT

EAK0315G47A



DESCRIPTION

Required to facilitate service on geodyna 7800p - 8250p in that the monitor can be fitted on the wheel guard for the service intervention

▶ **COMPATIBILITY**

▶ **€ 427.00**

WHEEL BALANCERS

SERVICE TOOLS

GEODATA CALIBRATOR ADAPTOR

EAC0100G88A



DESCRIPTION
for calibration of geodata arm on balancers with alloy vibratory system only (motorised HOF car WB starting 2010)

▶ COMPATIBILITY ▶ € 47.55

GENERAL ACCESSORIES

"CENTRING CONE Ø 3.8-4.6" - 96-116MM"

25539



DESCRIPTION
"Centring cone Ø 3.8-4.6" - 96-116mm"

▶ COMPATIBILITY ▶ € 189.00

GENERAL ACCESSORIES

SPRING CASING KIT

30356



DESCRIPTION
Spring casing kit

▶ COMPATIBILITY ▶ € 65.00

GENERAL ACCESSORIES

RETROFIT KIT

30417



DESCRIPTION
Retrofit kit

▶ COMPATIBILITY ▶ € 128.00

GENERAL ACCESSORIES

"CALIBRATION RING ""P VERSION""

25424



DESCRIPTION
"CALIBRATION RING ""P VERSION""

▶ COMPATIBILITY ▶ € 42.00

GENERAL ACCESSORIES

CABLE, BATTERY

27652



DESCRIPTION
CABLE, BATTERY

▶ COMPATIBILITY ▶ € 141.00

GENERAL ACCESSORIES

WING NUT

30358



DESCRIPTION
Wing nut

▶ COMPATIBILITY ▶ € 322.00

GENERAL ACCESSORIES

CENTRING SET MB SPRINTER / VW CRAFTER +

35383



DESCRIPTION
Centring set MB Sprinter / VW Crafter +

▶ COMPATIBILITY ▶ € 721.00

GENERAL ACCESSORIES

CD VIDEO INSTRUCTION WHEEL BALANCERS

36375

► **DESCRIPTION**
CD VIDEO INSTRUCTION WHEEL
BALANCERS

► **COMPATIBILITY** ► **€ 51.00**

GENERAL ACCESSORIES

HONDA / YAMAHA REAR MONOLEVER WHEEL ADAPTOR

4026416



► **DESCRIPTION**
Honda / Yamaha rear monolever wheel adaptor

► **COMPATIBILITY** ► **€ 517.00**

GENERAL ACCESSORIES

APRILIA REAR MONOLEVER WHEEL ADAPTOR

4026418



► **DESCRIPTION**
Aprilia rear monolever wheel adaptor

► **COMPATIBILITY** ► **€ 517.00**

GENERAL ACCESSORIES

"DUCATI ADAPTOR FOR 3/4" SHAFT"

4026420



► **DESCRIPTION**
"Ducati adaptor for 3/4" shaft"

► **COMPATIBILITY** ► **€ 245.00**

GENERAL ACCESSORIES

MCD KIT FOR BALANCERS

4027940



► **DESCRIPTION**
MCD KIT FOR BALANCERS

► **COMPATIBILITY** ► **€ 851.00**

GENERAL ACCESSORIES

PNEUMATIC LOADING DEVICE FOR MOTORIZED TRUCK WHEEL BALANCER

4028401



► **DESCRIPTION**
Pneumatic loading device for motorized truck
wheel balancer

► **COMPATIBILITY** ► **€ 1646.00**

GENERAL ACCESSORIES

TRUCK PROF. CLAMPING KIT N.A.

4029000



► **DESCRIPTION**
TRUCK PROF. CLAMPING KIT N.A.

► **COMPATIBILITY** ► **€ 1441.00**

GENERAL ACCESSORIES

SHAFT 18 MM FOR GBRM STANDARD KIT

4029656



► **DESCRIPTION**
SHAFT 18 MM FOR GBRM STANDARD KIT

► **COMPATIBILITY** ► **€ 502.00**

WHEEL BALANCERS

GENERAL ACCESSORIES

CAMERA CHECK TOOL

EAK0425G93A

▶ DESCRIPTION
Camera Check Tool



▶ COMPATIBILITY ▶ € 1675.00

GENERAL ACCESSORIES

SOFTWARE CLIENT FOR NETWORK PRINTING

EAK0317G52A

▶ DESCRIPTION
Software client for network printing



▶ COMPATIBILITY ▶ € 427.00

GENERAL ACCESSORIES

UPGRADE KIT FOR FP QUICK FLANGES P.S. IV

EAK0329G10A

▶ DESCRIPTION
Upgrade kit for FP Quick Flanges P.s. IV



▶ COMPATIBILITY ▶ € 575.00

GENERAL ACCESSORIES

KIT TOOLS CHECK SWITCH POSITION SA/L5

EAK0390G07A

▶ DESCRIPTION
KIT TOOLS CHECK SWITCH POSITION SA/L5

▶ COMPATIBILITY ▶ € 388.00

GENERAL ACCESSORIES

EXTERNAL TRANSFORMER

EAK0458G54A

▶ DESCRIPTION
External Transformer

▶ COMPATIBILITY ▶ € 467.00

GENERAL ACCESSORIES

KIT PROTECTIONS FOR REAR CAMERAS

EAK0317G62A

▶ DESCRIPTION
KIT PROTECTIONS FOR REAR CAMERAS



▶ COMPATIBILITY ▶ € 197.00

GENERAL ACCESSORIES

KIT EXTERNAL TRANSFORMER

EAK0329G90A

▶ DESCRIPTION
KIT EXTERNAL TRANSFORMER

▶ COMPATIBILITY ▶ € 385.00

GENERAL ACCESSORIES

WEIGHT ROLLER HOLDER KIT

EAK0390G26A

▶ DESCRIPTION
WEIGHT ROLLER HOLDER KIT

▶ COMPATIBILITY ▶ € 156.00

GENERAL ACCESSORIES**CENTRING CONE Ø 42-80 MM****EAM0122G74R****▶ DESCRIPTION**

Centring cone Ø 42-80 mm

▶ COMPATIBILITY**▶ € 88.00**

AT A GLANCE - CAR, MOTORCYCLE AND TRUCK WHEELS

WHEEL BALANCERS

Machine Accessory Ref. N°																
	geodyna 7100 + 7100m	geodyna 7100m	geodyna® 7200 / s	geodyna 7300 / p	geodyna 7500 / p geodyna 7500 / p	geodyna 7340 / p	geodyna 7600 / p	geodyna 6300 -2 / p	geodyna 6800-2 / p geodyna 7500 / p	geodyna 7700 / 7700p geodyna 7750p	geodyna 7800p / 7850p / 7800-2p / 7850-2p	geodyna 8200p / 8250p geodyna 8200p / 8250p	geodyna 9000p geodyna 7500 / p	geodyna 980L	geodyna 4800-2L	
MZV-4 cone adaptor 4028845	-	-	-	-	-	-	-	*/-	*/-	-	-	-	-	-	-	
Clamping plate 25314	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Stud-hole flanges	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Centring cones for cars	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Centring cones for light trucks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Centring rings / tapered rings	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
SCA wheel adaptor 4025313	-	-	-	-/•	-/•	-/•	-/•	•	•	•	•	•	•	•	•	
SCA-I wheel adaptor 4026608	•	•	•	•/-	•/-	•/-	•/-	-	-	-	-	-	-	-	-	
Mot. adaptor standard 4024935	-	-	-	-	-	-	-	•/-	•/-	•/-	-	-	-	•	•	
Mot. adaptor p 4028063	-	-	-	-/•	-/•	-/•	-/•	-/•	-/•	-/•	-	-	-	-	-	
Mot. adaptor I 4026397	•/*	*	•	•/-	•/-	•/-	•/-	-	-	-	-	-	-	-	-	
Storage pegs 4027370	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Rim width callipers 4007580	*	•	*/•	•	•	•	•	•	•	•	•	•	•	•	•	
Universal weight pliers 6452	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Clip removing tool 30376	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Adh. weight removing tool 4025573	•	•	•	•	•	•	•	*	*	•	•	•	*	•	•	
Mech. tyre claw 30368	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
TRUCK STANDARD kit 4028713														•	•	
TRUCK PROFESSIONAL kit 4028764														•	•	
3-arm centring star kit 30380														•	•	
5-arm centring star kit EAK0279G56A														•	•	
Truck rim width callipers 4009488														*	*	

• Can be used

* Is part of standard equipment

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
--	----------------------------------	--	----------

Stud-hole flange recommendation refers to series **FP or US alternatively!**
Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.

AMG

See MERCEDES-BENZ

ACURA

Tapered ring B	Tapered ring B		26446
Tapered ring F	Tapered ring F		26450
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265

ALFA ROMEO

Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200

ASTON MARTIN

Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Centring cone		8-2491A

AUDI

Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
Tapered ring I	Tapered ring I	Tapered ring I	30348
	Stud-hole flange VAG	Stud-hole flange VAG	4029029
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265

AUSTIN-HEALEY

	Centring cone		8-2491A
	Centring ring		8-2591A

BMW

Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
	Stepped tapered ring 56 / 57 / 72.5 / 74 mm		30345
	Stud-hole flange FP BMW		4028860
	Long bolts for BMW X5		EAK0279G46A
	BMW kit 2013+		EAK0306G43A
	BMW clamping kit		8-02691A

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
BMW ALPINA			
Tapered ring C	Tapered ring C Stepped tapered ring 56 / 57 / 72.5 / 74 mm Stud-hole flange FP BMW BMW clamping kit		26447 30345 4028860 8-02691A
BENTLEY			
Tapered ring C	Tapered ring C Stud-hole flange FP 5.2 Stud-hole flange US 5.1		26447 4028201 4028271
BUGATTI See VOLKSWAGEN			
BUICK			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8		26450 4028200 4028201 4028202 4028271 4028265 4028266
CADILLAC			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange FP 6 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8		26450 4028200 4028201 4028202 4028203 4028271 4028265 4028266
CHEVROLET / GEO			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
<p>Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.</p>			
CHRYSLER			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
CITROEN (PSA)			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	For closed rims:		
	Universal adaptor SCA	Universal adaptor SCA	4025313
	Centring ring set for SCA	Centring ring set for SCA	4029256
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Threaded centring bolt for light-truck wheels	29097
DACIA			
See RENAULT			
DAEWOO			
Tapered ring A	Tapered ring A		26445
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
DAIHATSU			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring G	Tapered ring G	Tapered ring G	26451
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
<p>Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.</p>			
DODGE			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring C	Tapered ring C	Tapered ring C	26447
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
	Universal adaptor SCA	Universal adaptor SCA	4025313
EAGLE			
Tapered ring A	Tapered ring A		26445
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
FERRARI			
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.2		4028265
FIAT			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	For closed rims:		
	Universal adaptor SCA	Universal adaptor SCA	4025313
	Centring ring set	Centring ring set	4029256
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Threaded centring bolt for light-truck wheels	29097

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
<p>Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.</p>			
FORD			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 4.2	4028199
		Stud-hole flange US 6-8	4028266
		Threaded centring bolt for light-truck wheels	29097
GAZ			
	Stud-hole flange FP OR		4028204
	Threaded centring bolt for light-truck wheels		29097
GEO			
Tapered ring D	Tapered ring D		26448
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
GMC			
Tapered ring F	Tapered ring F	Tapered ring F	26450
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
GM HOLDEN			
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 5.1		4028271
HONDA			
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
HUMMER			
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange US 6-8		4028266
HYUNDAI			
Tapered ring D		Tapered ring D	26448
Tapered ring E		Tapered ring E	26449
Tapered ring H		Tapered ring H	26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange FP OR		4028204
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
INFINITI			
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 6-8		4028266
ISUZU			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
	Light-truck wheels only:		
	Centring cone		24936
	Spacer ring		24937
JAGUAR			
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
JEEP			
Tapered ring C	Tapered ring C	Tapered ring C	26447
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
KIA			
Tapered ring B Tapered ring D Tapered ring E Tapered ring G Tapered ring H	Tapered ring B Tapered ring D Tapered ring E Tapered ring G Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.2 Stud-hole flange FP OR Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	Tapered ring B Tapered ring D Tapered ring E Tapered ring G Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.2 Stud-hole flange FP OR Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	26446 26448 26449 26451 26452 4028198 4028201 4028204 4028264 4028271 4028265 4028266
LADA			
Tapered ring A Tapered ring D Tapered ring H	Tapered ring A Tapered ring D Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.2	Tapered ring A Tapered ring D Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.2	26445 26448 26452 4028198 4028200 4028264 4028265
LAMBORGHINI			
Tapered ring F	Tapered ring F Stud-hole flange FP 5.2		26450 4028201
LANCIA			
Tapered ring A Tapered ring E	Tapered ring A Tapered ring E Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 5.2		26445 26449 4028198 4028200 4028265
LAND ROVER			
Tapered ring B Tapered ring C	Tapered ring B Tapered ring C Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1	Tapered ring B Tapered ring C Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1	26446 26447 4028201 4028202 4028271
LEXUS			
Tapered ring C Tapered ring D Tapered ring H	Tapered ring C Tapered ring D Tapered ring H Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 6 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	Tapered ring C Tapered ring D Tapered ring H Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 6 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	26447 26448 26452 4028200 4028201 4028203 4028271 4028265 4028266
LINCOLN			
Tapered ring B Tapered ring F	Tapered ring B Tapered ring F Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1 Stud-hole flange US 5.2		26446 26450 4028200 4028201 4028202 4028271 4028265

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
LOTUS			
Tapered ring A	Tapered ring A		26445
Tapered ring D	Tapered ring D		26448
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
MASERATI			
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
MAYBACH			
Tapered ring I	Tapered ring I		30348
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.1		4028271
MAZDA			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
MERCEDES-BENZ			
Centring kit	Centring kit	Centring kit	EAK0315G21A
Tapered ring I	Tapered ring I	Tapered ring I	30348
Tapered ring K	Tapered ring K	Tapered ring K	30669
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Set of centring bolts	Set of centring bolts	EAK0279G58A
	Stud-hole flange FPM-I	Stud-hole flange FPM-I	32052
	Centring bolts for FPM-I		4029774
		Light-truck wheels only:	
		Stud-hole flange FP 5.3	4028202
		Stud-hole flange FP 6	4028203
		Stud-hole flange US 5.2	4028265
		Threaded centring bolt for light-truck wheels	29097
		Centring kit MB Sprinter	35382
		Centring kit MB Sprinter	35383

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
MERCURY			
Tapered ring B	Tapered ring B		26446
Tapered ring D	Tapered ring D		26448
Tapered ring E	Tapered ring E		26449
Tapered ring F	Tapered ring F		26450
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
MG			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 4.2		4028199
	Stud-hole flange US 4		4028264
MINI			
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	BMW 2013+ kit		EAK0306G43A
MINI			
Tapered ring G	Tapered ring G		26451
MITSUBISHI			
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Stud-hole flange US 6-8	4028266
MORGAN			
Tapered ring D	Tapered ring D		26448
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.1		4028271
MOSKWITSCH			
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265

WHEEL BALANCERS

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
NISSAN			
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring F	Tapered ring F	Tapered ring F	26450
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
OLDSMOBILE			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring F	Tapered ring F	Tapered ring F	26450
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
OPEL			
Tapered ring A	Tapered ring A		26445
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
Tapered ring D	Tapered ring D		26448
Tapered ring F	Tapered ring F		26450
	Centring ring 57 mm / 70,2 mm		EAK0279G37A
	Centring ring 67 mm / 84 - 85 mm		EAK0279G38A
	Stud-hole flange FP Opel 5		EAK0279G36A
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
PEUGEOT (PSA)			
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
Tapered ring F	Tapered ring F		26450
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
	For closed rims:		
	Universal adaptor SCA		4025313
	Centring ring set		4029256

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
PLYMOUTH			
Tapered ring A Tapered ring C	Tapered ring A Tapered ring C Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2		26445 26447 4028198 4028200 4028201 4028264 4028271 4028265
PONTIAC			
Tapered ring A Tapered ring F Tapered ring H	Tapered ring A Tapered ring F Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2		26445 26450 26452 4028198 4028200 4028201 4028202 4028264 4028271 4028265
PORSCHE			
Tapered ring A Tapered ring C	Tapered ring A Tapered ring C Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.2		26445 26447 4028198 4028200 4028264 4028265
PROTON			
Tapered ring G	Tapered ring G Stud-hole flange FP 4.1 Stud-hole flange US 4		26451 4028198 4028264
RENAULT			
Tapered ring D	Tapered ring D Centring ring 60 mm / 66 / 71 mm Stud-hole flange FP 4.1 Stud-hole flange FP 4.2 Stud-hole flange FP 5.1 Stud-hole flange FP 5.3 Stud-hole flange US 4 Stud-hole flange US 5.2 For closed rims: Universal adaptor SCA Centring ring set	Tapered ring D Stud-hole flange FP 4.1 Stud-hole flange FP 4.2 Stud-hole flange FP 5.1 Stud-hole flange FP 5.3 Stud-hole flange US 4 Stud-hole flange US 5.2 Universal adaptor SCA Centring ring set For light-truck wheels: Flange Centring ring Ø 142 mm	26448 EAK0279G35A 4028198 4028199 4028200 4028202 4028264 4028265 4025313 4029256 H6411424 4028858

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
ROLLS-ROYCE			
Tapered ring C	Tapered ring C Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1 Stud-hole flange US 5.2		26447 4028200 4028201 4028202 4028271 4028265
NAC MG (former ROVER)			
Tapered ring A Tapered ring B Tapered ring G	Tapered ring A Tapered ring B Tapered ring G Stud-hole flange FP 4.1 Stud-hole flange FP 4.2 Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange US 4 Stud-hole flange US 5.1		26445 26446 26451 4028198 4028199 4028200 4028201 4028264 4028271
SAAB			
Tapered ring B Tapered ring F	Tapered ring B Tapered ring F Stud-hole flange FP 4.1 Stud-hole flange FP 5.3 Stud-hole flange US 4 Stud-hole flange US 5.1		26446 26450 4028198 4028202 4028264 4028271
SATURN			
Tapered ring A Tapered ring B	Tapered ring A Tapered ring B Stud-hole flange FP 4.1 Stud-hole flange US 4		26445 26446 4028198 4028264
SEAT			
Tapered ring A	Tapered ring A Stud-hole flange VAG Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2	Stud-hole flange VAG	26445 4029029 4028198 4028200 4028264 4028271 4028265
SKODA			
Tapered ring A	Tapered ring A Tapered ring MB2 Stud-hole flange VAG Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.1	Stud-hole flange VAG	26445 30669 4029029 4028198 4028200 4028264 4028271
SMART			
Tapered ring D	Tapered ring D Stud-hole flange FP OR Stud-hole flange US 4		26448 4028204 4028264
SSANGYONG			
	Stud-hole flange FP OR Stud-hole flange US 6-8		4028204 4028266

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
SUBARU			
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
SUZUKI			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
TOYOTA			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring G	Tapered ring G	Tapered ring G	26451
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
		For light-truck wheels:	
		Centring cone	24936
		Spacer ring	24937
TRABANT			
	Stud-hole flange FP 4.2		4028199
TVR			
Tapered ring B	Tapered ring B		26446
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
VAUXHALL			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
VOLKSWAGEN			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring MB2	Tapered ring MB2	Tapered ring MB2	30669
	Stud-hole flange VAG	Stud-hole flange VAG	4029029
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
		For vans:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Stud-hole flange US 6-8	4028266
		Threaded centring bolt for light-truck wheels	29097
		Centring kit VW Crafter	35382
		Centring kit VW Crafter	35383
VOLVO			
Tapered ring B	Tapered ring B		26446
Tapered ring E	Tapered ring E		26449
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
WARTBURG			
	Stud-hole flange FP 4.2		4028199

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRUSH

1419



► **DESCRIPTION**
Brush for tyre lubrication

► **COMPATIBILITY**
All

► **€ 11.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

HOLDER FOR TYRE LUBRICANT BUCKET (MAGNETIC)

EAK0317G95A



► **DESCRIPTION**
Flexible solution to position the bucket in the most comfortable place possible
For use on all tyre changers

► **COMPATIBILITY**

► **€ 180.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

ROLLER BOARD

4026290



► **DESCRIPTION**
Roller board

► **COMPATIBILITY**

► **€ 361.00**

monty® 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3300 racing AT/GP, 3550/GP, new smart and smartSpeed™ generation

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC PROTECTOR FOR BEAD BREAKER BLADE

26582



► **DESCRIPTION**
To protect alloy rims

► **COMPATIBILITY**

► **€ 11.00**

monty® 1000, 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22/GP, 3300-22, 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3300 racing AT/GP, 3550/GP, monty® 8300 smartSpeed™ series; standard on models certified by wdk and smartSpeed™ models

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

HOLDER FOR TYRE LUBRICANT BUCKET (5 KG)

4025460



► **DESCRIPTION**
5 kg

► **COMPATIBILITY**

Standard on all car tyre changers, except monty 1270 smart, 3300-20 smart and 8300 smartSpeed

► **€ 83.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

MAGNETIC TOOL HOLDER

EAK0317G96A



► **DESCRIPTION**
Flexible solution to position small tools in the most comfortable place possible For use on all tyre changers

► **COMPATIBILITY**

► **€ 57.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BEAD BREAKER BLADE FOR OFF-ROAD WHEELS

4028111



► **DESCRIPTION**
Bead breaker blade for off-road wheels

► **COMPATIBILITY**

monty® 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3300 racing AT/GP, 3550/GP, new smart and smartSpeed generation

► **€ 106.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC PROTECTOR FOR BEAD BREAKER BLADE

31765



► **DESCRIPTION**
To protect alloy rims, for tyre changers manufactured prior to 2004, having a bead breaker blade without hole

► **COMPATIBILITY**

► **€ 17.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

TYRE LEVER WAVE PLUS

34415



► DESCRIPTION

Tyre lever certified by WDK, comes standard with all car tyre changers
Alternative for former short tyre lever 1418, ALU tyre lever 30660 and WAVE tyre lever 25946

► COMPATIBILITY

► € 63.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC COVER

EAC0115G06A



► DESCRIPTION

For tyre lever WAVE Plus 34415

► COMPATIBILITY

► € 11.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC COVER

24180



► DESCRIPTION

For former tyre lever 1418 and tyre lever WAVE 25946

► COMPATIBILITY

► € 11.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

PLASTIC RIM PROTECTOR

4026853



► DESCRIPTION

For alloy rims, especially on low-profile tyres, clip-on type

► COMPATIBILITY

► € 22.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

PLASTIC TYRE PROTECTOR, CLIP-ON TYPE

EAA0481G31A



► DESCRIPTION

To protect run-flat tyres when mounted onto steel rims

► COMPATIBILITY

► € 56.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

SHORT RIM PROTECTOR WITH TOOL STOPPER

EAA0481G34A



► DESCRIPTION

Mounting stopper

► COMPATIBILITY

► € 82.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

PLASTIC TYRE PROTECTOR (SET OF 1)

EAA0408G33A



► DESCRIPTION

For run-flat tyres when mounted onto steel rims

► COMPATIBILITY

► € 51.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

BEAD DEPRESSOR

4003444



► DESCRIPTION

To facilitate mounting of upper bead, especially on low-profile and stiff tyres

► COMPATIBILITY

► € 121.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

BEAD CLAMP

4031295



► **DESCRIPTION**

To facilitate mounting of upper bead, especially on low-profile and stiff tyres

► **COMPATIBILITY**

► **€ 137.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

BEAD PRESSING ROLLER

4025966



► **DESCRIPTION**

To be fitted to the mounting head

► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, monty® 3550/GP (from 1st Jan 2002); monty® 1270 smart up to monty® 3300 racing smartSpeed™, monty® 8300 smartSpeed™ series

► **€ 102.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

MOUNTING TOOL

EAA0393G89A



► **DESCRIPTION**

Stand-alone mounting tool to facilitate the operation with run-flat tyres.

► **COMPATIBILITY**

monty® quadriga 1, series monty® 8300 smartSpeed™, 8600, 8700 and 8800 series in conjunction with adaptor EAA0426G34A only

► **€ 550.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

EXTENSION FOR EXTRA LARGE WHEELS

4024098



► **DESCRIPTION**

Extension for adjustable bead breakers

► **COMPATIBILITY**

monty® 3300-22 2S smartSpeed™, 3300-24 2S smartSpeed™, monty® 3300-2 2S racing smartSpeed™

► **€ 187.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

TYRE BEAD HOLDER

EAC0125G10A



► **DESCRIPTION**

Universal tool to hold the bead in the drop centre of the rim while mounting the tyre. For use on all tyre changers.

► **COMPATIBILITY**

► **€ 36.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

SMART BEAD SPACER

EAA0377G23A



► **DESCRIPTION**

Holds the bead on 6 points in the drop centre during tyre mounting operation. To be used in conjunction with easymont® pro. Comes standard with the plus kit.

► **COMPATIBILITY**

► **€ 100.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

MOUNTING TOOL ADAPTOR

EAA0426G34A



► **DESCRIPTION**

Adaptor for stand-alone mounting tool EAA0393G89 to facilitate the operation with run-flat tyres

► **COMPATIBILITY**

monty® 8300, 8600, 8700 and 8800 smartSpeed™ series

► **€ 85.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

REINFORCED MOUNTING HEAD

4029196



► **DESCRIPTION**

From 04.2011

► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3000-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/ GP, 3550/GP and on the new 2015 generation: monty® 1270 smart to monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 289.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC MOUNTING HEAD

4024784

► **DESCRIPTION**



► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP; monty® 1270 smart to monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 165.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC MOUNTING HEAD

4027646

► **DESCRIPTION**



For wheels with protruding spokes e.g. by VW, Audi, Ford, Peugeot

► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP; monty® 1270 smart to monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 175.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE DEVICE

4029892

► **DESCRIPTION**



Without mounting head, for quick retrofit of all steel, plastic and motorcycle mounting heads of Snap-on® car tyre changers without additional tools

► **COMPATIBILITY**

► **€ 237.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE DEVICE

4028229

► **DESCRIPTION**



Including plastic mounting head for wheels with protruding spokes e.g. by VW, Audi, Ford, Peugeot; for quick retrofit of steel, plastic and motorcycle mounting heads without additional tools

► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3000-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP; monty® 1270 smart to monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 303.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

MOUNTING HEAD

4029338

► **DESCRIPTION**



For wheels with protruding spokes e.g. by VW, Audi, Ford or Peugeot

► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3300-20 2-speed/GP, 3300-22 2-speed/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP; monty® 1270 smart to monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 289.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE KIT WITH ENFOLDING PLASTIC TOOL

EAK0341666A

► **DESCRIPTION**



Only for swing arm

► **COMPATIBILITY**

monty® 1270

► **€ 222.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE DEVICE

4028228

► **DESCRIPTION**



Including plastic mounting head, for quick retrofit of steel, plastic and motorcycle mounting heads without additional tools

► **COMPATIBILITY**

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3000-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP; monty® 1270 smart to monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 280.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

""+4"" QUICK EXCHANGE DEVICE"

4028629

► **DESCRIPTION**



Including steel mounting head, for quick retrofit of steel, plastic and motorcycle mounting heads without additional tools, for sliding jaw tyre changers.

► **COMPATIBILITY**

monty® 3300-24 2-speed/GP, 3300 racing/GP and monty® 3550/GP; monty® 3300-24 smartSpeed™, monty® 3300 racing smartSpeed™ and monty® 8300 smartSpeed™ series

► **€ 323.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

MOUNTING HEAD ADAPTOR FOR QUICK EXCHANGE DEVICE **4028884**



► **DESCRIPTION**
To be used when the customer already owns a quick exchange device and wants to use an additional mounting head

► **COMPATIBILITY** ► **€ 68.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

ROD WITH DISC **EAA0426G41A**



► **DESCRIPTION**
Offset disc to move standard disc EAA0350G39A far from mounting head when working with very low profile tyres

► **COMPATIBILITY** ► **€ 207.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

BEAD PRESSOR W/ OFFSET ROLLER **EAA0440G54A**



► **DESCRIPTION**
Offset roller to move standard roller EAA0332G30A far from mounting head when working with very low profile tyres

► **COMPATIBILITY** ► **€ 51.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD **EAA0372G24A**



► **DESCRIPTION**
5 Sets of plastic rim protectors for car & m/c mounting heads 4029196, 4029337 and 4013706, consisting of 5 rim protectors, 10 rear protectors, 5 motorcycle rim protectors, 2 hexagon socket screws, 2 grooved pins

► **COMPATIBILITY** ► **€ 51.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD **4030319**



► **DESCRIPTION**
5 Sets of plastic rim protectors for car & m/c mounting heads 4029196 and 4013706, consisting of 5 rim protectors, 5 rear protectors, 2 hexagon socket screws;

► **COMPATIBILITY** ► **€ 36.00**

Standard on monty® moto smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD **4030767**

► **DESCRIPTION**
Set of plastic rim protectors for mounting head 4029338, consisting of 4 plastic rim protectors and 2 grooved pins

► **COMPATIBILITY** ► **€ 46.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD **EAK0317G35A**



► **DESCRIPTION**
5 Sets of plastic rim protectors for mounting head EAA0392G68A, consisting of 5 front protectors, 5 rear protectors, 2 hexagon socket screws

► **COMPATIBILITY** ► **€ 36.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD **EAK0315G48A**

► **DESCRIPTION**
Set of 5 plastic rim protectors for mounting head 4029196

► **COMPATIBILITY** ► **€ 28.46**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

STEEL ROLLER FOR MOUNTING HEAD

EAK0376G54A

DESCRIPTION

Set of 3 steel rollers and screws for mounting heads 4029196 and 4013706



COMPATIBILITY

€ 30.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

POWERMONT UPPER TOOL PROTECTOR KIT

EAK0341G32A

DESCRIPTION

Set of 10 EAC0126G25A



COMPATIBILITY

€ 42.00

Standard equipment of series monty® 8700 + 8800 smartSpeed™. From March 2019 or for upgraded machine with the new reinforced tool EAM0161G88A

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS

4027870

DESCRIPTION

To protect alloy wheels
1 set = 4 off



COMPATIBILITY

€ 51.00

monty® 1170, 1270; standard equipment on monty® 2300, 3300, 3300 2-speed/GP prior to 11.01.2010 and on monty® 3300 GP prior to 07.06.2010; for monty® 1000

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS - FRONT & REAR

4030647

DESCRIPTION

To protect alloy wheels
1 set = 4 off



COMPATIBILITY

€ 83.00

monty® 1270, monty® 1270 smart and 3300-20 smart; standard equipment on monty® 2300, 3300 from 11.01.2010 and monty® 3300 GP from 07.06.2010; monty® 300020/GP 2-speed, 3300-22/GP, 3300-22 2-speed/GP, monty® 330020 smart plus, monty® 3300-22 smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR AUTOMATIC MOUNTING HEAD

4030887

DESCRIPTION

Set= 10 off 34812 and 10 off EAC0102G90A+ screws



COMPATIBILITY

€ 51.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

POWERMONT LOWER TOOL PROTECTOR KIT

EAK0330G58A

DESCRIPTION

Set of 10 EAM0068G23A



COMPATIBILITY

€ 24.00

Standard equipment of series monty® 8700 + 8800 smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS - FRONT ONLY

4030646

DESCRIPTION

To protect alloy wheels
1 set = 4 off



COMPATIBILITY

€ 51.00

monty® 1270, monty® 1270 smart and 3300-20 smart; standard equipment on monty® 2300, 3300 from 11.01.2010 and monty® 3300 GP from 07.06.2010; monty® 300020/GP 2-speed, 3300-22/GP, 3300-22 2-speed/GP, monty® 330020 smart plus, monty® 3300-22 smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS

4027645

DESCRIPTION

To protect alloy wheels.
1 set = 4 off



COMPATIBILITY

€ 51.00

monty® 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP

TYRE CHANGERS

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS FRONT & REAR

EAK0317G12A



DESCRIPTION
To protect alloy wheels.
1 set = 8 off

COMPATIBILITY **€ 51.00**

For centre-type sliding jaws with new rounded profile front + rear. Standard equipment on monty® 3300-24 smartSpeed™ and 3300 racing smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

"4"+6" ADAPTORS"

4029446



DESCRIPTION
"To increase the outer clamping range by 6"
1 set = 4 off"

COMPATIBILITY **€ 463.00**

monty® 1170, 1270, 2300, 3300, 3300 2-speed/GP prior to 11.01.2010 and on monty® 3300 GP prior to 07.06.2010; for monty® 1000, monty®

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

"4"+4" ADAPTORS FOR SLIDING JAWS"

4029455



DESCRIPTION
"To increase the outer clamping range by 4"
while reducing maximum rim width by 1 1/2"
1 set = 4 off"

COMPATIBILITY **€ 440.00**

monty® 3300 racing/GP, 3300, 3550/ GP manufactured from August 2004; monty® 3300-24 2-speed/GP from 01.02.2010; monty® 3300-24 smartSpeed™ and monty® 3000 racing smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

"ADAPTORS FOR LIGHT-TRUCK WHEELS, 17.5"™"

4027629



DESCRIPTION
1 set = 4 off

COMPATIBILITY **€ 730.00**

monty® 3300-24 2-speed/GP, 3300 racing/GP, 3300 racing AT/GP, 3550/ GP; monty® 3300-24 smartSpeed™ and monty® 3000 racing smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

LIGHT ALLOY RIM PROTECTORS FRONT ONLY

EAK0329G86A

DESCRIPTION
For centre-type sliding jaws with new rounded profile of the smartSpeed™ TC

COMPATIBILITY **€ 35.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

"4"+6" ADAPTORS"

4030649



DESCRIPTION
"To increase the outer clamping range by 6"
1 set = 4 off"

COMPATIBILITY **€ 463.00**

monty® 1270, 2300, 3300 from 11.01.2010 and monty® 3300 GP from 07.06.2010; monty® 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP; monty® 1270 smart, 3300-20 smart and 3300-22 smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

"ADAPTORS FOR LIGHT-TRUCK WHEELS 17.5"™"

4030651



DESCRIPTION
1 set = 4 off

COMPATIBILITY **€ 594.00**

monty® 1270, 2300, 3300 from 11.01.2010 and monty® 3300 GP from 07.06.2010; monty® 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP; monty® 1270 smart, 3300-20 smart and 3300-22 smartSpeed™

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

RETROFIT KIT: SCREW-TYPE CLAMPING JAWS

4029001



DESCRIPTION
Retrofit only on older machine, standard on machines manufactured from September 2004
1 set = 4 off

COMPATIBILITY **€ 382.00**

monty® 3300 racing


MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

EASYCLAMP II

EAA0377698A

DESCRIPTION

"Universal clamping jaw adaptors. Combined set of cart, scooter, motorcycle, + light-truck wheel adaptors, clamping range 5-23", with sturdy rubber coating to clamp alloy rims by the inside."



COMPATIBILITY

€ 1017.00

"To be used on car TC with four jaws and new 20" / 22" turntable: monty® 1270, monty® 2300, monty® 3300, monty® 3300 2-speed / GP from 11.01.2010; monty® 3300 GP from 07.06.2010; monty® 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP; monty® 1270 smart, monty® 3300-20 smart, monty® 3300-22 smartSpeed™ series"

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

MOUNTING HEAD ASSEMBLY FOR MOTORCYCLE WHEELS

4013706

DESCRIPTION



COMPATIBILITY

€ 289.00

monty® 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP, 3550/GP, smart and smartSpeed™ series; standard on motorcycle tyre changers

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

EAK0315648A

DESCRIPTION

Set of 5 plastic rim protectors for mounting head 4029196

COMPATIBILITY

€ 28.46

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR EASYCLAMP II

EAK0317634A

DESCRIPTION

Consisting of: 2x8 plastic protectors for the easyclamp II jaws (2 sets of wear parts; each easyclamp jaw requires 2 protectors)



COMPATIBILITY

€ 88.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

4030319

DESCRIPTION

5 Sets of plastic rim protectors for car & m/c mounting heads 4029196 and 4013706, consisting of 5 rim protectors, 5 rear protectors, 2 hexagon socket screws;



COMPATIBILITY

€ 36.00

Standard on monty® moto smartSpeed™

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

4030668

DESCRIPTION

5 Sets of plastic rim protectors consisting of 5 rear protectors, 5 motorcycle rim protectors, 2 hexagon socket screws, for former m/c mounting head 4029337



COMPATIBILITY

€ 58.00

Standard on motorcycle tyre changers from 04.2008 2017

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"ATV (8'') CLAMPING JAWS"

4029448

DESCRIPTION

1 set = 4 off



COMPATIBILITY

€ 497.00

monty® 1170, 1270, 2300, 3300, 3300 2-speed/GP prior to 11.01.2010 and on monty® 3300 GP prior to 07.06.2010; for monty® 1000;

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"8'') CLAMPING JAWS"

EAA0410687A

DESCRIPTION

New shape also for special rims; 1 set = 4 off



COMPATIBILITY

€ 497.00

monty® moto smartSpeed™, monty® 1270 smart, monty® 3300-20 smart, monty® 3300-22 smartSpeed™ and other Hofmann® monty® tyre changers w/ centre-type jaws manufactured from 11.01.2010

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

KIT OF MOTORCYCLES UNIVERSAL ADAPTORS

EAK0375G47A

► **DESCRIPTION**

For center type turntable with fixed jaws. (4 adaptors EAA0534G80A)

► **COMPATIBILITY**

► **€ 361.00**

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"KIT OF MOTORCYCLES 8" UNIVERSAL ADAPTORS "

EAK0375G48A

► **DESCRIPTION**

For center type turntable with sliding jaws. (4 adaptors EAA0534G81A)

► **COMPATIBILITY**

► **€ 662.00**

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"KIT OF MOTORCYCLES 26" UNIVERSAL ADAPTORS "

EAK0375G40A

► **DESCRIPTION**

For center type turntable with sliding jaws. (4 adaptors EAA0535G18A)

► **COMPATIBILITY**

► **€ 662.00**


MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

EASYCLAMP II

EAA0377G98A

► **DESCRIPTION**

"Universal clamping jaw adaptors. Combined set of cart, scooter, motorcycle, + light-truck wheel adaptors, clamping range 5-23", with sturdy rubber coating to clamp alloy rims by the inside."



► **COMPATIBILITY**

► **€ 1017.00**

"To be used on car TC with four jaws and new 20" / 22" turntable: monty® 1270, monty® 2300, monty® 3300, monty® 3300 2-speed / GP from 11.01.2010; monty® 3300 GP from 07.06.2010; monty® 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP; monty® 1270 smart, monty® 3300-20 smart, monty® 3300-22 smartSpeed™ series"

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR EASYCLAMP II

EAK0317G34A

► **DESCRIPTION**

Consisting of:
2x8 plastic protectors for the easyclamp II jaws
(2 sets of wear parts; each easyclamp jaw requires 2 protectors)



► **COMPATIBILITY**

► **€ 88.00**


ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

ADDITIONAL BEAD BREAKER BLADE

4008755

► **DESCRIPTION**

For motorcycle wheels and small car wheels. Not for monty® 3300 racing AT and monty® 3550/GP



► **COMPATIBILITY**

► **€ 83.00**

monty® 1000, 1170, 1270, 2300, 3300/GP, 3300 2-speed/GP, monty® 3300-20 2-speed/GP, 3300-22/GP, 3300-22 2-speed/GP, 3300-24 2-speed/GP, 3300 racing/GP; 2015 smart and smartSpeed™ series as well as monty® moto smartSpeed™

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

SLIP-ON SHOE

4029113

► **DESCRIPTION**

For bead breaking on narrow motorcycle and car wheels
Not for monty® 3300 racing AT



► **COMPATIBILITY**

► **€ 233.00**

Standard on monty® moto smartSpeed™

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLOSED CENTRE RIM KIT

EAA0410G88A

► **DESCRIPTION**

To clamp closed centre rims on quickLOK™ clamping system, including compact clamping device.



► **COMPATIBILITY**

► **€ 1392.00**

monty® 8300 / 8800 smartSpeed™ series

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLOSED CENTRE RIM KIT

4030515



► DESCRIPTION

To clamp closed centre rims with manual centre-post system, including compact clamping device.

► COMPATIBILITY

monty® universal 2 / GP and 8600 / 8700 series; series monty® 8300 / 8800 smartSpeed™ in conjunction with EAA0410G89A only

► € 1262.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLOSED CENTRE RIM KIT

4031036



► DESCRIPTION

To clamp closed centre rims, including compact clamping device.

► COMPATIBILITY

monty® quadriga 1 / GP

► € 1392.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0363G40A



► DESCRIPTION

For accommodation of wheels for AUDI A7 and A8 in conjunction with clamping kit EAA0410G88A / 4030515 / 4031036; spherical head diameter 25.6 mm; 1 set= 5 off

► COMPATIBILITY

monty® universal 2 / GP, monty® 8300, 8600, 8700, 8800 smartSpeed™ and quadriga 1 series

► € 398.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

LIGHT-TRUCK WHEEL KIT

4031033



► DESCRIPTION

To clamp pick-up, light-van and light-truck wheels

► COMPATIBILITY

monty® quadriga 1 / GP

► € 659.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

THREADED SHAFT ASSEMBLY

EAA0410G89A



► DESCRIPTION

For 4030515 (closed centre rims kit) when it is used on quickLOK™ clamping system.

► COMPATIBILITY

Series monty® 8300 / 8800 smartSpeed™

► € 213.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0363G30A



► DESCRIPTION

For accommodation of wheels for AUDI Q5 and Q7 in conjunction with clamping kit EAA0410G88A / 4030515 / 4031036; spherical head diameter 28 mm; 1 set= 5 off

► COMPATIBILITY

monty® universal 2 / GP, monty® 8300, 8600, 8700, 8800 smartSpeed™ and quadriga 1 series

► € 398.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

LIGHT-TRUCK WHEEL KIT

4030486



► DESCRIPTION

To clamp pick-up, light-van and light-truck wheels on centrepost TC

► COMPATIBILITY

monty® universal 2 / GP, monty® 8300, 8700 and 8800 smartSpeed™ series

► € 874.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

REVERSE MOUNTED WHEEL KIT

4031245



► DESCRIPTION

To clamp reverse mounted wheels on centre-post TC

► COMPATIBILITY

monty® universal 2 / GP, monty® 8300, 8600, 8700 and 8800 smartSpeed™ series

► € 1088.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

REVERSE MOUNTED WHEEL KIT

4031040



DESCRIPTION
To clamp reverse mounted wheels

COMPATIBILITY
monty® quadriga 1 / GP

€ 1101.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS (5) FOR REVERSE MOUNTED WHEEL KIT 4031245 AND 4031040

EAA0440G50A



DESCRIPTION
5 Bolts w/ cylindrical vertex
19 mm diameter Length 110 mm

COMPATIBILITY
monty® universal 2 / GP, 8300,
8600, 8700, 8800 smartSpeed™
and quadriga 1 series

€ 213.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BMW CLAMPING KIT - FOR STANDARD AND REVERSE MOUNTED WHEELS STANDARD ON CENTRE-POST TYRE CHANGERS HOMOLOGATED BY BMW:
MONTY 8600 BMW AND MONTY QUADRIGA 1 BMW OPTIONAL FOR USE ON MONTY 8300, 8600, 8700, 8800 SMARTSPEED AND QUADRIGA 1 SERIES

EAA0392G80A



DESCRIPTION
Consisting of:
Set of 5 tapered vertex pins overall length 110 mm (ref. no. EAM0076G53A)
Set of 5 cylindrical vertex pins overall length 80 mm (ref. no. EAM0122G27A)
BMW flange with 5 pins dia. 112 mm and 120 mm (ref. no. EAM0091G90A)
MINI flange with 4 pins dia.100 mm (ref. no. EAM0103G97A)

COMPATIBILITY
Adaptor for use with monty® 8300 / 8600 / 8700 / 8800 smartSpeed™ (ref. no. EAM0103G97A)

€ 1296.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

64MM CONE KIT

EAK0317G75A



DESCRIPTION
64 mm diameter for wheel clamping

COMPATIBILITY
Option for monty® 8300 smartSpeed™ et 8600 series, standard on monty® 8700 and 8800 smartSpeed™ series

€ 46.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS (10) FOR REVERSE MOUNTED WHEEL KIT 4031245 AND 4031040

EAA0364G48A



DESCRIPTION
5 Bolts w/ cylindrical vertex
5 Bolts w/ tapered vertex Length 110 mm

COMPATIBILITY
monty® universal 2 / GP, 8300,
8600, 8700, 8800 smartSpeed™
and quadriga 1 series

€ 422.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS (ACCOMMODATE WHEELS FOR LAND ROVER DEFENDER)

EAA0384G83A



DESCRIPTION
For reverse mounted wheel kit 4031245 and 4031040
5 Bolts w/ tapered vertex
Overall length 100 mm, tapered vertex dia. 36 mm

COMPATIBILITY
monty® universal 2 / GP, 8300,
8600, 8700, 8800 smartSpeed™
and quadriga 1 series

€ 453.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

MB CLAMPING KIT

EAK0330G20A

DESCRIPTION
Consisting of:
Set of 5 cylindrical vertex pins overall length 100 mm (ref. no. EAM0147G39A)
MB flange with 5 pins dia. 112 mm and 120 mm (ref. no. EAM0091G90A)
Adaptor for use with monty® 8300 / 8600 / 8700 / 8800 smartSpeed™ (ref. no. EAM0103G97A)

COMPATIBILITY
Optional for use on monty 8300, 8600, 8700 et 8800 smartSpeed series

€ 1229.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

75 MM CONE KIT

EAK0317G76A



DESCRIPTION
75 mm diameter for wheel clamping

COMPATIBILITY
Option for monty® 8300 smartSpeed™ et 8600 series, standard on monty® 8700 and 8800 smartSpeed™ series

€ 52.00

TYRE CHANGERS

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

126 MM CONE KIT

EAK0317G77A



► DESCRIPTION

126 mm diameter for wheel clamping

► COMPATIBILITY

Option for monty® 8300 smartSpeed™ et 8600 series, standard on monty® 8700 and 8800 smartSpeed™ series

► € 102.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

42-85 MM CONE KIT

EAK0317G32A



► DESCRIPTION

Consisting of 1 steel cone to centre steel / alloy wheels and 3 plastic protectors for use with alloy rims only.

► COMPATIBILITY

monty® 8300, 8600, 8700 and 8800 smartSpeed™ series

► € 125.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SPECIAL CONE MONTY® QUADRIGA 1

EAM0091G24A



► DESCRIPTION

Polyamide cone, ideal for alloy rims e.g. of Audi, BMW, Porsche

► COMPATIBILITY

monty® quadriga 1

► € 78.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

85 MM PLASTIC PROTECTORS

EAK0317G33A



► DESCRIPTION

Cone dia. 85 mm; 1 Set = 10 off

► COMPATIBILITY

monty® 8600 and quadriga 1

► € 36.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

145 MM CONE KIT

EAK0317G78A



► DESCRIPTION

145 mm diameter for wheel clamping

► COMPATIBILITY

Option for monty® 8300 smartSpeed™ and 8600 series, standard on monty® 8700 et 8800 smartSpeed™ series

► € 115.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

42-85 MM CONE KIT

EAK0317G84A



► DESCRIPTION

Consisting of 1 steel cone to centre steel / alloy wheels and 5 plastic protectors for use with alloy rims only.

► COMPATIBILITY

monty® quadriga 1

► € 125.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SPECIAL CONE FOR ALLOY RIMS MONTY® 8800 AND MONTY® 8700

EAM0146G66A



► DESCRIPTION

Polyamide cone, ideal for alloy rims e.g. of Audi, BMW, Porsche

► COMPATIBILITY

monty® 8800 and monty® 8700

► € 73.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

120 MM PLASTIC PROTECTORS

EAK0317G73A



► DESCRIPTION

Cone dia. 120 mm; 1 Set = 10 off

► COMPATIBILITY

monty® quadriga 1

► € 36.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

145 MM PLASTIC PROTECTORS

EAK0317G74A



► **DESCRIPTION**

Cone dia. 145 mm; 1 Set = 10 off

► **COMPATIBILITY**

monty® quadriga 1

► **€ 36.00**

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLAMPING KIT FOR STEEL RIMS

EAK0329G94A



► **DESCRIPTION**

To lock steel rims with a thin flange. The spacer guarantees a secure contact of the rim on the wheel flange

► **COMPATIBILITY**

monty® 8700 and 8800
smartSpeed™ series

► **€ 60.00**

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SPACER KIT

EAA0377G15A



► **DESCRIPTION**

For special rims inner ring

► **COMPATIBILITY**

monty® quadriga 1 / GP

► **€ 60.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

EASYMONT PRO SWING

6027702

► **DESCRIPTION**

Pneumatic Mounting Tools and Accessories for Table-Top Car Tyre Changers
Pneumatic bead assist to be attached to swing-arm tyre changers

► **COMPATIBILITY**

monty® 1270 smart

► **€ 2545.00**

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SUPPORTING RING

EAM0079G58A



► **DESCRIPTION**

For improved clamping of steel rims with centre bore diameter of 40 59 mm

► **COMPATIBILITY**

monty® quadriga 1 / GP

► **€ 31.00**

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

61 MM SPACER

EAK0317G84A



► **DESCRIPTION**

The spacer raises the wheel reducing the tower flexions when operating with extremely stiff sidewall tyres

► **COMPATIBILITY**

monty® 8600 series

► **€ 500.00**

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

TOOLBOX FOR MONTY® 8700 / 8800 SMARTSPEED SERIES

EAA0481G79A



► **DESCRIPTION**

With four pockets to comfortably store accessories and tools:
Pegs for centring cones
Shaft housing
Holders for lube bucket and soap bottle It requires a bigger footprint

► **COMPATIBILITY**

monty® 8700 / 8800 smartSpeed series

► **€ 558.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

EASYMONT PRO

6027703



► **DESCRIPTION**

Pneumatic Mounting Tools and Accessories for Table-Top Car Tyre Changers
Ideal aid for tyre changing, especially with wide tyres having stiff sidewalls, and indispensable for run-flat tyre systems such as PAX, CSR, RFT, eufori®, EMT, DSST, SSR and ZeroP
Integrated pneumatic bead hold-down device, turning 360° with the wheel
Pneumatically operated roller, directly on the mounting head

► **COMPATIBILITY**

monty® 2300, 3300/GP, 3300-20 2-speed/GP, monty® 3300-22, monty® 3300-22 2-speed, 3300-24 2-speed/GP and 3300 racing/GP. Standard on monty® 3300 racing AT plus/GP, monty® 3550/GP and all plus tyre changers

► **€ 2545.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

MH MID TIER TILT

EAA0382G97A



► **DESCRIPTION**

Ideal aid for tyre changing, especially with wide tyres having stiff sidewalls, and indispensable for run-flat

► **COMPATIBILITY**

► **€ 1300.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

PLUS ACCESSORIES FOR EASYMONT PRO

EAK0329G93A



► **DESCRIPTION**

Containing the tools for the PLUS models as requested for WDK certification:
EAA0350G39A RF PLUS bead tool
EAC0097G24A RF PLUS bead pusher tool
4029326 Adjustable bead breaker disc

► **COMPATIBILITY**

► **€ 473.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

EXTENSION FOR PNEUMATIC BEAD ASSIST

4026913



► **DESCRIPTION**

For clamping rims with high offset

► **COMPATIBILITY**

► **€ 113.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

ROD WITH TAPERED ROLL FOR EASYMONT PRO

4029326



► **DESCRIPTION**

Pneumatic Mounting Tools and Accessories for Table-Top Car Tyre Changers
6027704 / 6027703 (production from 06.06);
Rod diameter 35 mm

► **COMPATIBILITY**

► **€ 152.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

ADJUSTABLE BEAD BREAKER DISC

4029261



► **DESCRIPTION**

Pneumatic Mounting Tools and Accessories for Table-Top Car Tyre Changers
To break the upper bead when the wheel is clamped on tyre changer turntable; only in conjunction with easymont® pro 6027704 / 6027703

► **COMPATIBILITY**

► **€ 398.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

TRACTOR KIT - FOR EASYMONT PRO 6027703

EAA0393G08A



► **DESCRIPTION**

Pneumatic Mounting Tools and Accessories for Table-Top Car Tyre Changers
Includes sleeve, screw and cord

► **COMPATIBILITY**

For easymont pro 6027703

► **€ 117.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

TRACTOR KIT - FOR EASYMONT PRO 6027703

EAA0393G08A



► **DESCRIPTION**

Pneumatic Mounting Tools and Accessories for Table-Top Car Tyre Changers
Includes sleeve, screw and cord

► **COMPATIBILITY**

For easymont pro 6027703

► **€ 117.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

CW1015 WHEEL LIFT

EAK0279G89A



► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers

► **COMPATIBILITY**

monty® 3300, 3300-20, 3300-22, 3300-24 as well as monty® 3000-20 smart, 3300-22 smartSpeed™ and 3300-24 smartSpeed™ models as well as monty® moto smartSpeed™

► **€ 1476.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

CW1025 WHEEL LIFT

EAK0279G86A

► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers

► **COMPATIBILITY**

monty® 3300 racing and 3300 racing smartSpeed™

► **€ 1476.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

HOFMANN@-LOGO

19995

► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers
To replace logo on front panel of CW 1015, CW 1025, and CW 1035 wheel lifts respectively

► **COMPATIBILITY**

► **€ 26.12**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

PLASTIC PROTECTOR FOR WHEEL LIFT ARM

EAC0115G26A



► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers
To be clipped onto arm in order to protect rims from being scratched

► **COMPATIBILITY**

monty® 8300 smartSpeed™

► **€ 24.00**

ACCESSORIES FOR TRUCK TYRE CHANGERS

TYRE LEVER SHORT

1418

► **DESCRIPTION**

Tyre lever short



► **COMPATIBILITY**

► **€ 47.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

CW1035 WHEEL LIFT

EAK0279G87A

► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers

► **COMPATIBILITY**

monty® 3550

► **€ 1476.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

WHEEL LIFT PROTECTOR KIT

EAM0161G56A



► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers
For wheel lifts CW1015 & CW1035, to improve protection of alloy rims

► **COMPATIBILITY**

► **€ 85.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

WHEEL LIFT (PNEUMATIC PEDAL-OPERATED)

EAA0377G29A



► **DESCRIPTION**

Wheel Lifts for Car Tyre Changers

► **COMPATIBILITY**

Option for monty® 8600 Advanced and Gold models, monty® 8700 series and monty® 8800b, 8800s, 8800g; standard on monty® 8600 Platinum and monty® 8800p

► **€ 748.00**

ACCESSORIES FOR TRUCK TYRE CHANGERS

TYRE LEVER LONG

4004461

► **DESCRIPTION**

Tyre lever long



► **COMPATIBILITY**

► **€ 149.00**

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR 202 MM

4023775



▶ DESCRIPTION

To centre rims with a centre bore diameter of 202 mm

▶ COMPATIBILITY

monty® 3650

▶ € 453.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR 176 MM

23506



▶ DESCRIPTION

To centre rims with a centre bore diameter of 176 mm

▶ COMPATIBILITY

monty® 3650

▶ € 195.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR 135-167 MM

4021247



▶ DESCRIPTION

To centre rims with centre bore diameters 135-167 mm

▶ COMPATIBILITY

monty® 3650

▶ € 486.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

BEAD PUSHING LEVER

4002354



▶ DESCRIPTION

To hold bead in the drop centre of the rim during the mounting operation

▶ COMPATIBILITY

Standard on monty® 4250/, 4400/R and 5800

▶ € 139.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING CLAMP FOR STEEL RIMS

4009472



▶ DESCRIPTION

To help in mounting operations

▶ COMPATIBILITY

Standard on all truck tyre changers

▶ € 175.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

CLAMP FOR ALLOY RIMS

4021852



▶ DESCRIPTION

For all truck tyre changers

▶ COMPATIBILITY

Truck tyre changers

▶ € 426.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

OTR CLAMP FOR SPLIT-RING RIMS

4007611



▶ DESCRIPTION

To facilitate bead breaking on split-ring rims of OTR wheels

▶ COMPATIBILITY

Truck tyre changers

▶ € 556.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

JAW PROTECTION KIT

EAK0315666A



▶ DESCRIPTION

Consisting of 4 alloy rim protectors, 4 plastic spacers 25 / 22 / 19 / 16.5 / 5 mm each

▶ COMPATIBILITY

monty® 3850 and monty® 4250/R (standard)

▶ € 190.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

KIT OF ALLOY RIM PROTECTORS

EAK0315G67A



DESCRIPTION

Consisting of 4 alloy rim protectors.

COMPATIBILITY

monty® 3850 and monty® 4250/R (standard)

€ 158.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR Ø 445 MM

4014913



DESCRIPTION

For alloy wheels of Ø 445 mm - 17,5in, 1 off (4 off required)

COMPATIBILITY

monty® 3850 and monty® 4250/R

€ 47.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR Ø 572 MM

4014914

DESCRIPTION

For alloy wheels of Ø 572 mm- 22,5in, 1 off (4 off required).

COMPATIBILITY

monty® 3850 and monty® 4250/R (standard)

€ 64.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTORS Ø 220-280 MM

4008257



DESCRIPTION

For alloy wheels with 220-280 mm centre bore diameter, 1 set

COMPATIBILITY

monty® 4400/R

€ 514.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

KIT OF PLASTIC SPACERS

EAK0315G68A



DESCRIPTION

Consisting of 4 plastic spacers 25 / 22 / 19 / 16.5 / 5 mm each.

COMPATIBILITY

monty® 3850 and monty® 4250/R (standard)

€ 58.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR Ø 495 MM

4020582

DESCRIPTION

For alloy wheels of Ø 495 mm - 19,5in. 1 off (4 off required)

COMPATIBILITY

monty® 3850 and monty® 4250/R

€ 99.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTORS Ø 280 MM

4008264



DESCRIPTION

For alloy wheels of 280 mm centre bore Ø, 1 set

COMPATIBILITY

monty® 4400/R

€ 142.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTORS

4030013



DESCRIPTION

For alloy wheels

COMPATIBILITY

monty® 5800B / BA / WL

€ 421.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING ROLL FOR TUBELESS TYRES

4022287



DESCRIPTION

For monty® 3850, 4250R and 4400

COMPATIBILITY

For monty® 3850, 4250R and 4400

▶ € 594.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING ROLL FOR TUBELESS TYRES

4023741



DESCRIPTION

For monty® 4250

COMPATIBILITY

For monty® 4250

▶ € 594.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING ROLL FOR TUBELESS TYRES

EAA0373G89A



DESCRIPTION

For monty® 4400/R and 5800

COMPATIBILITY

For monty® 4400/R and 5800

▶ € 594.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

"CLAMPING RANGE EXTENSIONS 32"-56"

4024715



DESCRIPTION

Set of 4

COMPATIBILITY

monty® 4250/R

▶ € 1100.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

"CLAMPING RANGE EXTENSIONS 44"-56"

4019161



DESCRIPTION

For monty® 4400/R

COMPATIBILITY


For monty® 4400/R

▶ € 1278.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

EXTENSION FOR SUPER SINGLE WHEELS

4028955



DESCRIPTION

"17.5" und 19.5" (1 set = 4 off)."

COMPATIBILITY

For monty® 4400/R

▶ € 1175.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

WING NUT 46X6

4021053



DESCRIPTION

For monty® 3650

COMPATIBILITY

For monty® 3650

▶ € 301.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

WING NUT SPACER

4020596



DESCRIPTION

For monty® 3650

COMPATIBILITY

For monty® 3650

▶ € 106.00

TYRE CHANGERS

ACCESSORIES FOR TRUCK TYRE CHANGERS

HOLDER FOR TYRE LUBRICANT BUCKET

4030297

► **DESCRIPTION**

To hold a 5 kg bucket within operator's reach

► **COMPATIBILITY**

monty® 5800 series

► **€ 90.00**

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADDITIONAL PLATFORM

4017641

► **DESCRIPTION**

To enlarge the standard platform for very wide truck wheels

► **COMPATIBILITY**

monty® 5800 series

► **€ 734.00**

SERVICE TOOLS FOR TABLE-TOP CAR TYRE CHANGERS

RING FOR TURNTABLE CONTROL

13549



► **DESCRIPTION**

For table-top car tyre changers

► **COMPATIBILITY**

► **€ 345.00**

SERVICE TOOLS FOR TABLE-TOP CAR TYRE CHANGERS

TURNTABLE REMOVAL KIT

EAK0329G83A

► **DESCRIPTION**

Consisting of a ring with central screw and 4 blocks

► **COMPATIBILITY**

► **€ 739.00**

SERVICE TOOLS FOR TABLE-TOP CAR TYRE CHANGERS

AIR PRESSURE CONTROL

EAA0348G92A

► **DESCRIPTION**

Air pressure control

► **COMPATIBILITY**

► **€ 282.36**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CALIBRATION TOOL

EAA0382G24A



► **DESCRIPTION**

For calibration and adjustment of tools and bead breaker rollers

► **COMPATIBILITY**

monty® quadriga 1 with software release 1.2.11 (otherwise software update is required)

► **€ 161.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CABLE FOR CONTROL OF POTENTIOMETER

EAW0286G14A



► **DESCRIPTION**

To control the potentiometer

► **COMPATIBILITY**

Tyre changers with smartSpeed™ technology

► **€ 85.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

USB STICK OF PERSEO MANAGER SOFTWARE

3-89426AP1

► **DESCRIPTION**

USB stick of Perseo Manager software

► **COMPATIBILITY**

► **€ 54.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

USB CABLES FOR FIRMWARE UPDATE

6-20922A

▶ DESCRIPTION

To be used with 6-21022A

▶ COMPATIBILITY

▶ € 29.00

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

USB CABLES FOR FIRMWARE UPDATE

6-21022A

▶ DESCRIPTION

To be used with 6-20922A

▶ COMPATIBILITY

▶ € 35.00

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CALIBRATION TOOL

EAK0341G12A

▶ DESCRIPTION

To synchronise powerMONT™ and dynamic bead breaker discs



▶ COMPATIBILITY

▶ € 189.00

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CALIBRATION TOOL

EAM0085G18A

▶ DESCRIPTION

To control the alignment of tools 1 and 2



▶ COMPATIBILITY

monty® quadriga 1

▶ € 30.00


SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

UNCRATING TOOL

EAK0330G24A

▶ DESCRIPTION

To unload easily and safely TC from the pallet, consisting of:
1 x EAA0471G92A Jack with beam Front
1 x EAA0471G93A Jack with beam Rear
1 x TEAK0330G24A Instruction



▶ COMPATIBILITY

▶ € 3568.00

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

STEEL PIPE TO MOUNT O RINGS

23360

▶ DESCRIPTION

For truck TC



▶ COMPATIBILITY

▶ € 44.00

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

TOOL / PIN TO DEMOUNT CYLINDER

4013567

▶ DESCRIPTION

For monty® 5800



▶ COMPATIBILITY

For monty® 5800

▶ € 100.00

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

PRESSURE GAUGE WITH ADAPTOR

4006849

▶ DESCRIPTION

Pressure gauge with adaptor



▶ COMPATIBILITY

For monty® 5800

▶ € 290.00

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

TOOL FOR SEAL / MANIFOLD INSTALLATION

EAA0383G22A



► **DESCRIPTION**
For monty® 5800

► **COMPATIBILITY**
For monty® 5800

► **€ 516.00**

ACCESSORIES FOR EASYMONT PRO BEAD ASSIST FOR CAR TYRE CHANGERS

PLASTIC CAP FOR CLAMPING JAWS

15115



► **DESCRIPTION**
Plastic cap for clamping jaws

► **COMPATIBILITY**

► **€ 16.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

FLANGE Ø 280

4021100



► **DESCRIPTION**
Flange Ø 280

► **COMPATIBILITY**

► **€ 453.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PAD FOR INSERTING THE GASKET FOR TRUCK TC

4025450



► **DESCRIPTION**
Pad for inserting the gasket for truck TC

► **COMPATIBILITY**

► **€ 57.00**

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

TOOL FOR DEMOUNTING AND MOUNTING

EAA0384G59A



► **DESCRIPTION**
For the front ring nut in the chuck cylinder flange

► **COMPATIBILITY**

► **€ 236.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BLADE PROTECTION, BEAD BREAKER

31158

► **DESCRIPTION**
BLADE PROTECTION, BEAD BREAKER

► **COMPATIBILITY**

► **€ 17.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

FLANGE Ø 220-280

4021101



► **DESCRIPTION**
Flange Ø 220-280

► **COMPATIBILITY**

► **€ 514.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"ADAPTORS FOR LIGHT-TRUCK WHEELS 17.5"'"

4027631



► **DESCRIPTION**
"Adaptors for light-truck wheels 17.5"'"

► **COMPATIBILITY**

► **€ 731.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC CAPS FOR CLAMPING JAWS

4027908

▶ DESCRIPTION

Plastic caps for clamping jaws

▶ COMPATIBILITY

▶ € 51.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"CLAMP +6" CENTER TYPE"

4029445



▶ DESCRIPTION

"CLAMP +6" CENTER TYPE"

▶ COMPATIBILITY

▶ € 200.01

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"CLAMP 8" CENTER TYPE"

4029447

▶ DESCRIPTION

"CLAMP 8" CENTER TYPE"


▶ COMPATIBILITY

▶ € 134.46

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"CLAMP +6" OFF CENTER TYPE"

4029449



▶ DESCRIPTION

"CLAMP +6" OFF CENTER TYPE"

▶ COMPATIBILITY

▶ € 200.01

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"SLIDING CLAMP +4" OFF CENTER TYPE"

4029454

▶ DESCRIPTION

"SLIDING CLAMP +4" OFF CENTER TYPE"

▶ COMPATIBILITY

▶ € 184.63

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"ADAPTORS FOR SLIDING JAWS +4" (OFF-CENTER TYPE)"

4029456



▶ DESCRIPTION

"adaptors for sliding jaws +4" (off-center type)"

▶ COMPATIBILITY

▶ € 440.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

FOOT PEDAL UNIT CABLE

4030083



▶ DESCRIPTION

FOOT PEDAL UNIT CABLE

▶ COMPATIBILITY

▶ € 812.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

KIT RF PLUS 05-001

4030564



▶ DESCRIPTION

KIT RF PLUS 05-001

▶ COMPATIBILITY

▶ € 1229.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

LOW SMART BEAD SPACER TAIL GROUP

EAA0393G04A

▶ **DESCRIPTION**

LOW SMART BEAD SPACER TAIL GROUP

▶ **COMPATIBILITY**

▶ **€ 100.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

WZ10 LUBRICANT (1 KG)

EAA0394G10A



▶ **DESCRIPTION**

WZ10 LUBRICANT (1 KG)

▶ **COMPATIBILITY**

▶ **€ 104.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PROTECTOR FOR BEAD LEVER PLUS - YELLOW

EAC0115G95A

▶ **DESCRIPTION**

PROTECTOR FOR BEAD LEVER PLUS - YELLOW

▶ **COMPATIBILITY**

▶ **€ 11.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

CW1015 -LIFT FOR T3

EAK0315G75A

▶ **DESCRIPTION**

CW1015 -LIFT FOR T3

▶ **COMPATIBILITY**

▶ **€ 1517.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"PERSONALIZATION KIT, 8100 ""S"" VERSION"

EAK0317G81A

▶ **DESCRIPTION**

"PERSONALIZATION KIT, 8100 ""S"" VERSION"

▶ **COMPATIBILITY**

▶ **€ 63.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

ACCESSORIES FOR MH320, STD TC

EAK0329G92A

▶ **DESCRIPTION**

ACCESSORIES FOR MH320, STD TC

▶ **COMPATIBILITY**

▶ **€ 137.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRANDING KIT, VAS 741 079 - NA

EAK0329G98A

▶ **DESCRIPTION**

BRANDING KIT, VAS 741 079 - NA

▶ **COMPATIBILITY**

▶ **€ 327.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRANDING KIT, T7700 NA

EAK0341G25A

▶ **DESCRIPTION**

BRANDING KIT, T7700 NA

▶ **COMPATIBILITY**

▶ **€ 35.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRANDING KIT, T7800 NA

EAK0341G26A

▶ DESCRIPTION

BRANDING KIT, T7800 NA

▶ COMPATIBILITY

▶ € 35.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRANDING KIT, MONTY 8700

EAK0341G27A

▶ DESCRIPTION

Branding Kit, Monty 8700

▶ COMPATIBILITY

▶ € 35.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRANDING KIT, MONTY 8800

EAK0341G28A

▶ DESCRIPTION

Branding Kit, Monty 8800

▶ COMPATIBILITY

▶ € 35.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

HOFMANN EASYMONT PRO LABEL

EAL0425G65A

▶ DESCRIPTION

HOFMANN EASYMONT PRO LABEL

▶ COMPATIBILITY

▶ € 21.61

AT A GLANCE - Car Tyre Changers

Machine \ Accessory Ref. N°	monty 1270 smart	monty 3300-20 smart / plus	monty 3300-22 smartSpeed / plus	monty 3300-24 smartSpeed / plus	monty 3300 racing smartSpeed / plus	monty 3550 / GP / plus	monty 8300 s / g / p smartSpeed	monty 8600 Series	monty 8700b / g smartSpeed	monty 8800b / s / g / p smartSpeed	monty quadriga 1 / GP
General Accessories											
Roller board 4026290		•	•	•	•	•					
Add. bead breaker blade off road - 4028111	•	•	•	•	•	•					
Plast. protector/bead breaker blade 26582	•	*	*	*	*	*	*			-/*	
Miscellaneous Mounting Aids											
Plastic rim protector 4026853	•	•/*	*	*	*	*	*	*	*	*	*
Plastic tyre protector, clip-on EAA0481G31A									*	*	
Short rim protector EAA0481G34A									*	*	
Plastic tyre protector EAA0408G33A	•	•/*	•/*	•/*	•/*	•/*	*	*	*	*	*
Bead depressor 4003444	•	•	•	•	•	•	•	•			•
Bead clamp 4031295	•	•/*	•/*	•/*	•/*	•/*	*	*	*	*	•
Tyre bead holder EAC0125G10A	•	•	•	•	•	•	•	•	•	•	•
Bead pressing roller 4025966	•	•	•	•	•	•	•				
Smart Bead Spacer EAA0377G23A	•	•/*	•/*	•/*	•/*	•/*	*	*	*	*	*
Mounting tool EAA0393G89A											•
Adaptor for mounting tool EAA0426G34A							•	•	•	•	
Extension for extra large wheels 4024098			•	•	•						
Quick Exchange Kit with enfolding plastic tool EAK0341G66A	•	•	•	•	•		•				

• Can be used

* Is part of standard equipment

AT A GLANCE - Car Tyre Changers

Machine Accessory Ref. N°	monty 1270 smart	monty 3300-20 smart / plus	monty 3300-22 smartSpeed / plus	monty 3300-24 smartSpeed / plus	monty 3300 racing smartSpeed / plus	monty 3550 / GP / plus	monty 8600 Series	monty 8700b / g smartSpeed	monty 8800b / s / g / p smartSpeed	monty quadriga 1 / GP
Mounting Heads & Accessories										
Mounting head 4029196	*	*	*	*	*	*				
Plastic mounting head 4024784	•	•	•	•	•	•				
Mounting head VW/Ford 4029338	•	•	•	•	•	•				
Plastic mounting head VW/Ford 4027646	•	•	•	•	•	•				
Quick exchange device 4029892	•	•	•	•	•	•				
Quick exchange device 4028228	•	•	•	•	•	•				
Quick exchange device VW/Ford 4028229	•	•	•	•	•	•				
+4 Quick exchange device 4028629				•	•	•				
Mounting head adaptor 4028884	•	•	•	•	•	•				
Plastic protectors for mounting head	•	•	•	•	•	•				
Plastic protectors for automatic mounting head - 4030887							•			
Plastic Caps & Jaw Adaptors										
Plastic cap for jaws 4030646	•	*	*							
Plastic cap for jaws 4027645						*				
Plastic cap for jaws EAK0317G12A				*	*					
"+6" adaptors 4030649	•	•	•							
"+4" adaptors 4029455				•	•	•				
LT adaptors 4030651	•	•	•							
LT adaptors 4027629				•	•	•				
easyclamp II EAA0377G98A • Can be used	•	•	•							

* Is part of standard equipment

AT A GLANCE - Car Tyre Changers

Accessory Ref. N°	Machine									
	monty 1270 smart	monty 3300-20 smart / plus	monty 3300-22 smartSpeed / plus	monty 3300-24 smartSpeed / plus	monty 3300 racing smartSpeed / plus	monty 3550 / GP / plus	monty 8600 Series	monty 8700b / g smartSpeed	monty 8800b / s / g / p smartSpeed	monty quadriga 1 / GP
Motorcycle Wheel Accessories										
Motorcycle mounting head 4013706	•	•	•	•	•	•				
8" jaws EAA0410G87A	•	•	•							
Mot. jaws 4030648	•	•	•							
Mot. & ATV jaws 4028568				•	•	•				
26" Motorcycle adaptor kit EAK0330G55A				•	•					
easyclamp II EAA0377G98A	•	•	•							
Add. Bead breaker blade	•	•	•	•	•					
Slip-on shoe 4029113	•									
Centring & Clamping Accessories										
Closed centre rim kit EAA0410G88A									•	
Closed centre rim kit 4030515; on 8300 and 8800 in conjunction with EAA0410G89A only*						•	•	•*		
Threaded shaft assembly EAA0410G89A								•		
Closed centre rim kit 4031036										•
Bolts EAA0363G30A						•	•	•	•	•
Bolts EAA0363G40A						•	•	•	•	•
Light-truck kit 4030486							•	•		
Light-truck kit 4031033										•

• Can be used

* Is part of standard equipment

AT A GLANCE - Car Tyre Changers

Accessory Ref. N°	Machine									
	monty 1270 smart	monty 3300-20 smart / plus	monty 3300-22 smartSpeed / plus	monty 3300-24 smartSpeed / plus	monty 3300 racing smartSpeed / plus	monty 3550 / GP / plus	monty 8600 Series	monty 8700b / g smartSpeed	monty 8800b / s / g / p smartSpeed	monty quadriga 1 / GP
Reverse mounted wheel kit 4031245							•	•	•	
Reverse mounted wheel kit 4031040										•
Bolts EAA0364G48A							•	•	•	•
Bolts EAA0440G50A							•	•	•	•
Bolts EAA0384G83A							•	•	•	•
BMW clamping kit EAA0392G80A							•	•	•	•
MB clamping kit EAK0330G20A							•	•	•	
Cone kit 64 mm EAK0317G75A							•	*	*	
Cone kit 75 mm EAK0317G76A							•	*	*	
Cone kit 126 mm EAK0317G77A							•	*	*	
Cone kit 145 mm EAK0317G78A							•	*	*	
Cone kit 42-85mm EAK0317G32A							•	•	•	
Cone kit 42-85mm EAK0317G84A										•
Special cone EAM0091G24A										•
Plastic protectors 85mm EAK0317G33A										•
Plastic protectors 120mm EAK0317G73A										•
Plastic protectors 145mm EAK0317G74A										•
Special Accessories										
Toolbox EAA0481G79A								•	•	

• Can be used

* Is part of standard equipment

AT A GLANCE - Car Tyre Changers

Accessory Ref. N°	Machine	monty 1270 smart	monty 3300-20 smart / plus	monty 3300-22 smartSpeed / plus	monty 3300-24 smartSpeed / plus	monty 3300 racing smartSpeed / plus	monty 3550 / GP / plus	monty 8600 Series	monty 8700b / g smartSpeed	monty 8800b / s / g / p smartSpeed	monty quadriga 1 / GP
Pneumatic Mounting Tools & Accessories											
easymont pro 6027702 / 6027703		•	•/*	•/*	•/*	•/*	*				
Plus accessories for easymont pro EAK0329G93A		•	•/*	•/*	•/*	•/*	*				
Extension for pneumatic bead assist 4026913			•	•	•	•	•/-				
Rod with tapered roll 35 mm 4029326			•/*	•/*	•/*	•/*	*				
Adjustable bead breaker disc 4029261			•	•	•	•	•/-				
Tractor kit EAA0393G08A			•	•/*	•	•	•		*	*	
Accessories for Pneumatic Bead Assist											
Tractor kit EAA0393G08A			•	•/*	•	•	•		*	*	
Wheel Lifts											
CW1015 EAK0279G89A			•	•	•						
CW1025 EAK0279G86A						•					
CW1035 EAK0279G87A							•				
Wheel lift EAA0377G29A								•/*	• **	•/* **	

• Can be used

* Is part of standard equipment

** monty 8700b and monty 8800s smartSpeed are available w/ and w/o wheel lift

AT A GLANCE - TRUCK Tyre Changers

Machine Accessory Ref. N°							
	monty 3650	monty 3850	monty 4250	monty 4250R	monty 4400	monty 4400R	monty 5800B/BAWL
Adaptor for rim centre bore dia. 202 mm 4023775	•						
Adaptor for rim centre bore dia. 176 mm 23506	•						
Adaptor for rim centre bore dia. 135-167 mm 4021247	•						
Star flange for rim centre bore dia. 164 mm 4020798	•						
Bead pushing lever 4002354			*	*	*	*	*
Clamp for steel rims 4009472	*	*	*	*	*	*	*
Clamp for alloy rims 4021852	•	•	•	•	•	•	•
Kit for split-ring rims 4024501	•						
OTR clamp for split-ring rims 4007611	•	•	•	•	•	•	•
Jaw protection kit EAK0315G66A		*	*	*			
Kit of alloy rim protectors EAK0315G67A		*	*	*			
Kit of plastic spacers EAK0315G68A		*	*	*			
Adaptors 280 mm 4008264					•	•	
Adaptors 220-280 mm 4008257					•	•	
Adaptors 4030013							•
Mounting roll 40022287		•		•	•		
Mounting roll 4023741			•				
Mounting roll EAA0373G89A					•	•	•
Clamping range extension 4024715			•	•			
Clamping range extension 4019161					•	•	
Clamping range extension 4028955					•	•	
Wing nut 46x6 4021053	*						
Spacer for wing nut 4020596	*						

• Can be used

* Comes standard with the machine

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ANCHOR BOLTS FOR DUOLIFT® GTE 2500 **H6490547**

► **DESCRIPTION**
Heavy-duty anchor bolts HSL-3-G
M12/100 + HSL-3-G M12/50
(1 set = 4 + 2 off)

► **COMPATIBILITY**
duolift® 2500

► **€ 114.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

SPECIAL PICK-UP PADS **H6492077**



► **DESCRIPTION**
For Volvo and Mercedes-Benz (= 4 off)

► **COMPATIBILITY**
duolift® 3000, 3200 and 3500 /
4500

► **€ 965.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ADJUSTABLE PICK-UP PAD FOR OPEL INSIGNIA **4026864**



► **DESCRIPTION**
For all duolift® GT/GTE 2500 and MTF 3000 /
3000-2 / 3500 / 4500 (= 1 off)
For duolift® MTE 2500 only in conjunction with
adaptor H6490763

► **COMPATIBILITY**
duolift® GT/GTE 2500 and MTF
3000 / 3000-2 / 3500 / 4500

► **€ 357.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ADD-ON PADS **H6462859**




► **DESCRIPTION**
For all duolift® having pick-up pads of 120 mm
Ø
(1 set = 4 off)

► **COMPATIBILITY**
duolift® 2500 / 3000 / 3200 / 3500 /
4500 / 5000 / 5500

► **€ 463.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ADAPTORS FOR PICK-UP PADS FOR MB JEEPS (BM 4G3) **H6490373**



► **DESCRIPTION**
Designed for pick-up pads, ref. H6464299
(1 set = 4 off)

► **COMPATIBILITY**
duolift® 2500 / 3000 / 3200 / 3500 /
4500 / 5000 / 5500

► **€ 450.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

PICK-UP PADS FOR VANS AND LIGHT TRUCKS **H6464297**



► **DESCRIPTION**
Vertically adjustable (1 set = 4 off)

► **COMPATIBILITY**
duolift® 2500 / 3000 / 3200 / 3500
/ 4500

► **€ 1125.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ACCESSORY FOR MB JEEP / VAN MB-100 PADS H6464299 **H6490091**



► **DESCRIPTION**
1 Set of bucklestraps of 500 mm length for
securing the vehicle to be lifted (1 set = 2 off)

► **COMPATIBILITY**

► **€ 177.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

TESLA PICK UP PADS (SET OF 4) **EA0339V13A**



► **DESCRIPTION**
can be retrofit to 2-post lifts already placed in
workshops.

► **COMPATIBILITY**
duolift® MTF 3000 & HL 3500 /
4500

► **€ 295.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

SAFETY PLUG-IN ADAPTORS (1 SET)

H6490301

► **DESCRIPTION**

With adjustable locking bar for MB passenger cars

► **COMPATIBILITY**

► **€ 1525.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

TOOL TRAYS

H6492007



► **DESCRIPTION**

(1 Set = 4 off)

► **COMPATIBILITY**

duolift® BT 2500, GTE 2500, BTE 3200, MSE 5000, MSE 5500

► **€ 127.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ACCESSORY KIT

H6492006



► **DESCRIPTION**

Energy station with 1 x 230 VAC, 1 x compressed air supply, tool trays, and impact wrench holder

► **COMPATIBILITY**

duolift® BT 2500, GTE 2500, BTE 3200, MSE 5000, MSE 5500

► **€ 553.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

SUPPORTING FRAME (BASE FRAME)

H6490864



► **DESCRIPTION**

To be used under unfavourable ground conditions

► **COMPATIBILITY**

duolift® of series MTF 3000

► **€ 995.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ENERGY STATION

EAK0339V10A



► **DESCRIPTION**

Air supply / 230 V 1 phase, incl. impact wrench holder.

► **COMPATIBILITY**

duolift® MTF 3000 / 3000-E / 3500 / 4500 / 5000 / 5500

► **€ 129.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

TOOL TRAYS

H6491099



► **DESCRIPTION**

(1 Set = 2 off)

► **COMPATIBILITY**

duolift® MTF 3000

► **€ 148.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ACCESSORY KIT

H6491098



► **DESCRIPTION**

Energy station with 1 x 230 VAC, 1 x compressed air supply, tool trays, and impact wrench holder.

► **COMPATIBILITY**

duolift® of series MTF 3000

► **€ 581.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

SUPPORTING FRAME

H6492126



► **DESCRIPTION**

For use under unfavourable ground conditions.

► **COMPATIBILITY**

duolift® MSE 5000, MSE 5500

► **€ 2570.00**

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

SHORT SUPPORTING ARMS FOR FORK-LIFT TRUCKS

H6490871



DESCRIPTION

(200 mm), min. pick-up height 55 mm, 1 set = 4 off
Including 4 fork-lift truck adaptors H6469123.

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 3416.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ADAPTOR SET FOR SPRINTER

34772



DESCRIPTION

For MB Sprinter / VW Crafter with long wheel base, adjustment range 140-265 mm
1 set = 2 off

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 653.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ACCESSORY KIT FOR VW LT2

H6490808



DESCRIPTION

Consists of:
2 x long adaptors: 240-380 mm
2 x middle adaptors: 195-290 mm
2 x short adaptors: 170-250 mm
2 x add-on pad with Vee (on rear jacking point)
2 x reducing sleeve for short adaptor
2 x safety straps

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 2132.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

REDUCING SLEEVE FROM 55 TO 45 MM DIAMETER

H6490902



DESCRIPTION

To be used with former accessories of duolift® GS 5.0 when fitted on duolift® MSE 5000 / MSE 5500
1 set (4)

COMPATIBILITY

duolift® MSE 5000 / MSE 5500

€ 185.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ADAPTOR SET

36208

DESCRIPTION

U-shaped adaptor, 1 set = 4 off

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 451.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ACCESSORY KIT FOR MB-SPRINTER

H6492029



DESCRIPTION

Consists of:
2 x long adaptors: 170-250 mm with square pad surface
2 x middle adaptors: 120-250 mm
2 x short adaptors: 85-170 mm
2 x reducing sleeve for short adaptor

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 1544.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ACCESSORY KIT FOR VANS AND LIGHT TRUCKS

H6490860



DESCRIPTION

Vertically adjustable 139 – 289 mm
(1 set = 4 off)

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 1090.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ADD-ON PAD FOR MB-100 VAN

H6490514



DESCRIPTION

155 – 240 mm
1 set (4)

COMPATIBILITY

duolift® MSE 5000, MSE 5500

€ 517.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

WHEEL GRIPS FOR LIFTING BY THE WHEELS

H6470432



► DESCRIPTION

"Min. rim diameter 13"
Max. tyre outside diameter 900 mm
Easy fitting and moving via additional rollers on bottom side
Designed for vans with wheelbase up to 4400 mm long
1 set (4)"

► COMPATIBILITY

duolift® MSE 5000, MSE 5500

► € 5334.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ANCHOR BOLTS FOR DUOLIFT® GTE 2500

H6490547

► DESCRIPTION

Heavy-duty anchor bolts HSL-3-G
M12/100 + HSL-3-G M12/50
(1 set = 4 + 2 off)

► COMPATIBILITY

duolift® 2500

► € 114.00

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

SECONDARY CONTROL BOX

EAK0339V02A



► DESCRIPTION

To be fitted on secondary column of duolift® HL 3500 / 4500

► COMPATIBILITY

duolift® HL 3500 / 4500

► € 618.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

TESLA PICK UP PADS (SET OF 4)

EAK0339V13A



► DESCRIPTION

can be retrofit to 2-post lifts already placed in workshops.

► COMPATIBILITY

duolift® MTF 3000 & HL 3500 / 4500

► € 295.00

ACCESSORIES FOR DUOLIFT® 2500 / 3000 / 3200 / 3500 / 5000 / 5500

ANCHOR BOLTS FOR DUOLIFT® MSE 5500

H6492124

► DESCRIPTION

Consisting of heavy-duty anchor bolts
HIT-HY 200 + HIT-V (5.8) M20
1 set (10)

► COMPATIBILITY


duolift® MSE 5500

► € 405.00

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

EXTENSION KIT FOR HL 3500 STD

EAK0339V01A



► DESCRIPTION

Column extensions including hose extensions

► COMPATIBILITY


Standard equipment of duolift® HL 3500 TALL

► € 549.00

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

HOLDER

EAK0339V05A



► DESCRIPTION

for pick-up pad adaptors

► COMPATIBILITY

duolift® HL 3500 / 4500

► € 132.00

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

STORAGE FOR WHEEL NUTS ETC.

EAA0431V16A



► DESCRIPTION

Attached to lifting arms with magnet

► COMPATIBILITY


duolift® MTF 3000 and HL 3500 / 4500

► € 71.00

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

PICK-UP PAD EXTENSIONS

EAK0339V04A



► **DESCRIPTION**
75 mm

► **COMPATIBILITY**

duolift® MTF 3000 and HL 3500 / 4500

► **€ 200.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

HYDRAULIC HOSE KIT

EAK0339V15A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY**

HL/JLT3500 Standard

► **€ 164.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

HYDRAULIC HOSE KIT

EAK0357V08A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY**

HL/JLT 4500 Standard

► **€ 207.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

ANCHOR BOLTS FOR DUOLIFT® HL 3500

EAK0339V03A

► **DESCRIPTION**
Consists of heavy-duty anchor bolts
1-08489A HILTI HSA M16/182
1 set (14)

► **COMPATIBILITY**

duolift® HL 3500

► **€ 275.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

PICK-UP PAD EXTENSIONS

EAK0339V09A



► **DESCRIPTION**
150 mm

► **COMPATIBILITY**

duolift® MTF 3000 and HL 3500 / 4500

► **€ 256.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

HYDRAULIC HOSE KIT

EAK0339V16A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY**

HL/JLT 3500 Tall

► **€ 186.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

HYDRAULIC HOSE KIT

EAK0357V09A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY**

HL/JLT 4500 Tall

► **€ 218.00**

SPECIAL ACCESSORIES FOR DUOLIFT® HL 3500 / 4500

ANCHOR BOLTS FOR DUOLIFT® HL 3500

EAK0339V03A

► **DESCRIPTION**
Consists of heavy-duty anchor bolts
1-08489A HILTI HSA M16/182
1 set (14)

► **COMPATIBILITY**


duolift® HL 3500

► **€ 275.00**

ACCESSORIES FOR DOUBLE SCISSOR LIFTS

LOW PROFILE RAMPS FOR VARIOLIFT 3500

EAK0344T05A



DESCRIPTION

"Includes long DriveOver ramps for low clearance vehicles Height 4''''

COMPATIBILITY

variolift 3500

▶ € 1236.00

ACCESSORIES FOR DOUBLE SCISSOR LIFTS

STACKABLE INTERLOCKING

EAK0344T03A



DESCRIPTION

Pads 44mm (kit of 4 pcs.)

COMPATIBILITY

variolift 3500

▶ € 87.00

ACCESSORIES FOR QUATTROLIFT® 4000 WA

KIT DRIVE-OVER RAMPS FOR FLUSH-MOUNT INSTALLATION

EAK0361V48A



DESCRIPTION

Includes 2 pcs.
For a drive through application 2 kits are required

COMPATIBILITY

quattrolift® 4000 WA

▶ € 522.00

LIFTS

RECHARGEABLE LIGHTING KIT

EAK0361V64A



DESCRIPTION

USB-Powered Battery Charging
Integrated Motion Sensor
Dual Strong Magnets
360° Rotational Design

COMPATIBILITY

All Lifts

▶ € 146.00

ACCESSORIES FOR DOUBLE SCISSOR LIFTS

FLUSH MOUNT KIT

EAK0344T08A



DESCRIPTION

Flush mount kit

COMPATIBILITY

variolift 3500

▶ € 645.00

ACCESSORIES FOR QUATTROLIFT® 4000 WA

JACKING BEAM FOR QUATTROLIFT 4000 WA

EELS727A



DESCRIPTION

Lifting capacity 3000 kg (7000LBS.)
Max stroke 450 mm
Durable and compact scissor carrying structure
Adjustable width between support wheels to fit different widths between runways
Holder pad extensions for various wheelbases
With manual release mechanical safety locking unit
Steel-made driving rolls with ball bearings move easily and smoothly on the track
Pneumatic operation

COMPATIBILITY

quattrolift® 4000 WA

▶ € 2895.00

ACCESSORIES FOR QUATTROLIFT® 4000 WA

SET OF TURNABLE COVERS

EAK0361V52A

DESCRIPTION

Kit of 2 pieces

COMPATIBILITY

quattrolift® 4000 WA

▶ € 229.00

AT A GLANCE - Accessories for duolift®

Accessory Ref. N°	Machine	duolift GTE 2500	duolift MTF 3000 / 3000 MB	duolift MTF 3000-E	duolift BTE 3200 / 3200 MB	duolift HL 3500 STD / TALL	duolift HL 4500 STD / TALL	duolift MSE 5500 duolift MSE 5000 / 5000 MB
Special pick-up pads Volvo / MB H6492077			•	•	•	•	•	
Pick-up pad Opel Insignia 4026864			•	•	•	•	•	
Pick-up pads f. MB jeep/van H6464299		•			•			•
Add-on pads 120 mm Ø H6462859		•	•	•	•	•	•	•
Add-on pad MB-100 H6490514								•
Accessory for MB jeep/van H6490091		•			•			•
Accessory kit for vans / LT H6464297		•	•	•	•	•	•	•
Adaptor set 36208								•
Adaptor set for MB Sprinter 34772								•
Accessory kit for MB Sprinter H6492029								•
Accessory kit for VW LT2 H6490808								•
Accessory kit for vans / LT H6490860								•
Short arms / fork-lift truck H6490871								•
Safety plug-in adaptor H6490301		•			•			•
Safety means f. MB A class H1951510		•			•			•
Energy station EAK0339V10A			•/*	•/*		•	•	•/*
Tool trays H6492007		•			•/*			•/*
Tool trays H6491099			•/*	•				
Accessory kit: energy station + tool trays H6492006		•			•			•
Accessory kit: energy station + tool trays H6491098			•	•				
Supporting frame H6490864			•	•				

• Can be used

* Is part of standard equipment

AT A GLANCE - Accessories for duolift®

Accessory Ref. N°	Machine	duolift GTE 2500	duolift MTF 3000 / 3000 MB	duolift MTF 3000-E	duolift BTE 3200 / 3200 MB	duolift HL 3500 STD / TALL	duolift HL 4500 STD / TALL	duolift MSE 5500 duolift MSE 5000 / 5000 MB
Supporting frame H6492126								•
Reducing sleeve Ø 55 > 45 H6490902								•
Wheel grips H6470432								•
Column extension kit EAK0339V01A						•/*		
Control box kit for secondary column EAK0339V02A						•	•	
Holder for pick-up pad adaptors EAM0119V48A						•	•	
Storage for wheel nuts etc EAA0431V16A			•			•	•	
Pick-up pad extensions 75 mm EAK0339V04A			•			•	•	
Pick-up pad extensions 150 mm EAK0339V09A			•			•	•	
Tesla pickup pads EAK0339V13A		•	•			•		

• Can be used

* Is part of standard equipment

ACCESSORIES FOR H4PRO**COOLANT LRA5 - 5 LITERS****8-02315A****▶ DESCRIPTION**

Coolant LRA5 - 5 liters

▶ COMPATIBILITY

H4PRO

▶ € 120.00**ACCESSORIES FOR H4PRO****INDUCTION HEAD - STRAIGHT****EAK0375G90A****▶ DESCRIPTION**

Induction head - straight

▶ COMPATIBILITY

H4PRO

▶ € 448.00**ACCESSORIES FOR H4PRO****REPAIR KIT ANGLED INDUCTION HEAD****EAK0390G09A****▶ DESCRIPTION**

REPAIR KIT ANGLED INDUCTION HEAD

▶ COMPATIBILITY

H4PRO

▶ € 94.00**ACCESSORIES FOR H4PRO****INDUCTION HEAD - ANGLED****EAK0375G89A****▶ DESCRIPTION**

Induction head - angled

▶ COMPATIBILITY

H4PRO

▶ € 416.00**ACCESSORIES FOR H4PRO****BASIC TROLLEY FOR H4PRO****EAK0390G08A****▶ DESCRIPTION**

BASIC TROLLEY FOR H4PRO

▶ COMPATIBILITY

H4PRO

▶ € 515.00**ACCESSORIES FOR H4PRO****REPAIR KIT STRAIGHT INDUCTION HEAD****EAK0390G10A****▶ DESCRIPTION**

REPAIR KIT STRAIGHT INDUCTION HEAD

▶ COMPATIBILITY

H4PRO

▶ € 94.00



HOFMANN 

WWW.HOFMANN-EQUIPMENT.COM

SSHMAC2024A