

WHEEL BALANCER ACCESSORY CATALOG

TABLE OF CONTENTS

AUTOMOTIVE

WHEEL BALANCER

ACCESSORIES AND KITS

» Precision Tooling Kits	3-5
» Collets & Cone Kits	6
» Additional Accessories	7

MOTORCYCLE

WHEEL BALANCER

ACCESSORIES AND KITS

» Motorcycle Accessories	8-9
--------------------------	-----

HEAVY-DUTY

WHEEL BALANCER

ACCESSORIES AND KITS

» Heavy-Duty Accessories	10-11
--------------------------	-------

FLANGE PLATE KIT WITH COLLETS

EAK0309J32B
241E801-409
FLANGE PLATE #1

» 4x 95.25, 98, 100, 101.6, 108,
114.3, 170mm | 3.75", 4", 4.5"
» 7x 150mm

251E801-409
FLANGE PLATE #2

» 5x 98, 105, 108, 110, 115,
120.65, 135, 154.95mm | 4.75"

251E901-409
FLANGE PLATE #3

» 5x 100, 108, 112, 114.3, 120,
127, 130, 139.7, 150, 165.1mm |
4.5", 5", 5.5", 6.5"

231E111-409
FLANGE PLATE #4

» 3x 198, 112, 114.3, 115, 120,
127, 130, 132mm | 4.5", 5"
» 4x 165.1mm | 6.5"
» 6x 135, 139.7mm | 5.5"

271-904-119
ROUNDED PIN [5]

» Head Ø 24.5mm
» Length 90mm

271-804-118
SHORT TAPERED PIN [6]

» Head Ø 34.5mm
» Length 80mm

271-994-121
LONG TAPERED PIN [7]

» Head Ø 22.5mm
» Length 100mm

490-008-002
MEASURING TOOL
EAK0309J67A
STORAGE STAND
ERM0192G23A
COLLET #1

» 48.3-61mm | 2.29-2.40"

ERM0192G24A
COLLET #2

» 55.9-68.6mm | 2.20-2.70"

ERM0192G25A
COLLET #3

» 63.50-76.2mm | 2.50-3.00"

ERM0192G26A
COLLET #4

» 71.1-83.8mm | 2.79-3.29"

ERM0192G27A
COLLET #5

» 78.7-91.4mm | 3.09-3.59"

ERM0192G28A
COLLET #6

» 86.4-99.1mm | 3.40-3.90"

ERM0192G29A
COLLET #7

» 94-106.7mm | 3.70-4.20"

ERM0192G30A
COLLET #8

» 101.6-114.3mm | 4.00-4.50"

ERM0192G31A
COLLET #9

» 109.2-121.9mm | 4.29-4.79"

EAK0309J54A
SPACER KIT


FLANGE PLATE SET

200-008-402
241E801-409
FLANGE PLATE #1

» 4x 95.25, 98, 100, 101.6, 108,
114.3, 170mm | 3.75", 4", 4.5"
» 7x 150mm

251E801-409
FLANGE PLATE #2

» 5x 98, 105, 108, 110, 115,
120.65, 135, 154.95mm | 4.75"

251E901-409
FLANGE PLATE #3

» 5x 100, 108, 112, 114.3, 120,
127, 130, 139.7, 150, 165.1mm |
4.5", 5", 5.5", 6.5"

231E111-409
FLANGE PLATE #4

» 3x 198, 112, 114.3, 115, 120,
127, 130, 132mm | 4.5", 5"
» 4x 165.1mm | 6.5"
» 6x 135, 139.7mm | 5.5"

271-904-119
ROUNDED PIN [5]

» Head Ø 24.5mm
» Length 90mm

271-804-118
SHORT TAPERED PIN [6]

» Head Ø 34.5mm
» Length 80mm

271-994-121
LONG TAPERED PIN [7]

» Head Ø 22.5mm
» Length 100mm

490-008-002
MEASURING TOOL


POWER CLAMP™ SPEED PLATE KIT WITH COLLETS

EAK0309J33C
1-55284A
POWER CLAMP SPEED PLATE
4 & 8-LUG

» PCD Range: 92.25-180mm

1-55384A
POWER CLAMP SPEED PLATE
5-LUG

» PCD Range: 92.25-180mm

1-55484A
POWER CLAMP SPEED PLATE
6-LUG

» PCD Range: 92.25-180mm

1-49784A
SHORT CONE SEAT STUD [6]

» Head Ø 28mm
» Body Length 25mm
» Overall Length 80mm

1-49884A
BALL SEAT STUD [6]

» Head Ø 22.5mm
» Body Length 40mm
» Overall Length 95mm

1-49984A
NARROW CONE SEAT STUD [6]

» Head Ø 19mm
» Body Length 40mm
» Overall Length 95mm

1-50084A
LONG BALL SEAT STUD [6]

» Head Ø 22.5mm
» Body Length 65mm
» Overall Length 120mm

EAK0309J67A
STORAGE STAND
ERM0192G23A
COLLET #1

» 48.3-61mm | 2.29-2.40"

ERM0192G24A
COLLET #2

» 55.9-68.6mm | 2.20-2.70"

ERM0192G25A
COLLET #3

» 63.50-76.2mm | 2.50-3.00"

ERM0192G26A
COLLET #4

» 71.1-83.8mm | 2.79-3.29"

ERM0192G27A
COLLET #5

» 78.7-91.4mm | 3.09-3.59"

ERM0192G28A
COLLET #6

» 86.4-99.1mm | 3.40-3.90"

ERM0192G29A
COLLET #7

» 94-106.7mm | 3.70-4.20"

ERM0192G30A
COLLET #8

» 101.6-114.3mm | 4.00-4.50"

ERM0192G31A
COLLET #9

» 109.2-121.9mm | 4.29-4.79"

EAK0309J54A
SPACER KIT


EAK0390G25A



1-55284A
POWER CLAMP SPEED PLATE
4 & 8-LUG
» PCD Range: 92.25-180mm

1-55384A
POWER CLAMP SPEED PLATE
5-LUG
» PCD Range: 92.25-180mm

POWER CLAMP™ SPEED PLATE KIT

1-55484A
POWER CLAMP SPEED PLATE
6-LUG
» PCD Range: 92.25-180mm

1-49784A
SHORT CONE SEAT STUD [6]
» Head Ø 28mm
» Body Length 25mm
» Overall Length 80mm

1-49884A
BALL SEAT STUD [6]
» Head Ø 22.5mm
» Body Length 40mm
» Overall Length 95mm

1-49984A
NARROW CONE SEAT STUD [6]
» Head Ø 19mm
» Body Length 40mm
» Overall Length 95mm

1-50084A
LONG BALL SEAT STUD [6]
» Head Ø 22.5mm
» Body Length 65mm
» Overall Length 120mm

EAK0390G24A



1-54784A
SPEED PLATE 4 & 8-LUG
» PCD Range: 92.25-180mm

1-54884A
SPEED PLATE 5-LUG
» PCD Range: 92.25-180mm

1-54984A
SPEED PLATE 6-LUG
» PCD Range: 92.25-180mm

1-49784A
SHORT CONE SEAT STUD [6]
» Head Ø 28mm
» Body Length 25mm
» Overall Length 80mm

1-49884A
BALL SEAT STUD [6]
» Head Ø 22.5mm
» Body Length 40mm
» Overall Length 95mm

1-49984A
NARROW CONE SEAT STUD [6]
» Head Ø 19mm
» Body Length 40mm
» Overall Length 95mm

1-50084A
LONG BALL SEAT STUD [6]
» Head Ø 22.5mm
» Body Length 65mm
» Overall Length 120mm

SPEED PLATE SPARE PARTS



1-54784A
SPEED PLATE 4 & 8-LUG
» PCD Range: 92.25-180mm

1-54884A
SPEED PLATE 5-LUG
» PCD Range: 92.25-180mm

1-54984A
SPEED PLATE 6-LUG
» PCD Range: 92.25-180mm

1-49784A
SHORT CONE SEAT STUD [6]
» Head Ø 28mm
» Body Length 25mm
» Overall Length 80mm

1-49884A
BALL SEAT STUD [6]
» Head Ø 22.5mm
» Body Length 40mm
» Overall Length 95mm

1-49984A
NARROW CONE SEAT STUD [6]
» Head Ø 19mm
» Body Length 40mm
» Overall Length 95mm

1-50084A
LONG BALL SEAT STUD [6]
» Head Ø 22.5mm
» Body Length 65mm
» Overall Length 120mm

1-55684A
AUTO CLAMP HANDLE
» For Power Clamp™ shaft

E490-000-10
GEAR ASSEMBLY
» For speed plate 1-49384a,
1-49484a, 1-49584a

1-55784A
GEAR ASSEMBLY
» For speed plate 1-54784a,
1-54884a, 1-54984a

EAK0309J31B



EAK0309J67A
STORAGE STAND
ERM0192G23A
COLLET #1
» 48.3-61mm | 2.29-2.40"
ERM0192G24A
COLLET #2
» 55.9-68.6mm | 2.20-2.70"

ERM0192G25A
COLLET #3
» 63.50-76.2mm | 2.50-3.00"
ERM0192G26A
COLLET #4
» 71.1-83.8mm | 2.79-3.29"
ERM0192G27A
COLLET #5
» 78.7-91.4mm | 3.09-3.59"

ERM0192G28A
COLLET #6
» 86.4-99.1mm | 3.40-3.90"
ERM0192G29A
COLLET #7
» 94-106.7mm | 3.70-4.20"
ERM0192G30A
COLLET #8
» 101.6-114.3mm | 4.00-4.50"

ERM0192G31A
COLLET #9
» 109.2-121.9mm | 4.29-4.79"
EAK0309J54A
SPACER KIT
EAK0307G82A
CLAMPING PLATE

POWER CLAMP™ LIGHT TRUCK COLLET AND PIN PLATE KIT

280-818-158C

700-816-034 POWER CLAMP LIGHT TRUCK PIN PLATE

- » PIN PLATE
- » 4x 165.1, 170, 180, 200, 210, 225mm | 6.6"
- » 5x 184.15, 225mm | 7.25"

160-400-086 SMALL COLLET

- » Double sided
- » 4.75-4.82" (120.6-122.49mm)
- » 4.87-4.95" (123.6-125.8mm)
- » Ford/RAM/GM single wheels
- » RAM dually wheel

160-400-087 LARGE COLLET

- » Double sided
- » 5.52-5.62" (140.1-142.76mm)
- » 6.04-6.09" (153.4-154.75mm)
- » Ford/RAM/GM dually wheels

700-008-035 CONICAL HEAD (S)

- » Head Ø 24.5mm
- » Length 66mm

190E400-045 SMALL SPACER

EAA0277D59A LARGE SPACER



LIGHT TRUCK COLLET AND PIN PLATE KIT

280-400-158C

700-400-034 LIGHT TRUCK PIN PLATE

- » PIN PLATE
- » 4x 165.1, 170, 180, 200, 210, 225mm | 6.6"
- » 5x 184.15, 225mm | 7.25"

160-400-086 SMALL COLLET

- » Double sided
- » 4.75-4.82" (120.6-122.49mm)
- » 4.87-4.95" (123.6-125.8mm)
- » Ford/RAM/GM single wheels
- » RAM dually wheel

160-400-087 LARGE COLLET

- » Double sided
- » 5.52-5.62" (140.1-142.76mm)
- » 6.04-6.09" (153.4-154.75mm)
- » Ford/RAM/GM dually wheels

700-008-035 CONICAL HEAD (S)

- » Head Ø 24.5mm
- » Length 66mm

190E400-045 SMALL SPACER

EAA0277D59A LARGE SPACER



LIGHT TRUCK COLLET AND PIN PLATE SPARE PARTS

700-816-034 POWER CLAMP LIGHT TRUCK PIN PLATE

- » 4x 165.1, 170, 180, 200, 210, 225mm | 6.6"
- » 5x 184.15, 225mm | 7.25"
- » Pin plate only, without pins

700-400-034 LIGHT TRUCK PIN PLATE

- » 4x 165.1, 170, 180, 200, 210, 225mm | 6.6"
- » 5x 184.15, 225mm | 7.25"
- » Pin plate only, without pins

160-400-086 SMALL COLLET

- » Double sided
- » 4.75-4.82" (120.6-122.49mm)
- » 4.87-4.95" (123.6-125.8mm)
- » Ford/RAM/GM single wheels
- » RAM dually wheel

160-400-087 LARGE COLLET

- » Double sided
- » 5.52-5.62" (140.1-142.76mm)
- » 6.04-6.09" (153.4-154.75mm)
- » Ford/RAM/GM dually wheels

190E400-045 SMALL SPACER

EAA0277D59A LARGE SPACER

700-008-035 SHORT SPARE PIN 66MM

- » Conical Head Ø 24.5mm
- » Length 66mm

700-008-036 LONG SPARE PIN 90MM

- » Conical Head Ø 24.5mm
- » Length 90mm



GMC SIERRA CENTERING KIT


280 400 113

CENTERING DISK

- » Hub pilot disk, double-sided
- » Ø 154mm / Ø 124mm

4-ARM LUG ADAPTER

- » PCD 170/180/200/210/225mm



LIGHT TRUCK ADAPTER KIT


280 400 075

CENTERING DISK

- » Ø 161mm

3-ARM STAR

- » PCD 205mm



HUB PILOT DISK

160-400-048

HUB PILOT DISK

- » Ø 170.15mm / Ø 142.1mm
- » Ford/GM/RAM 19.5" with 170.1mm center bore

- » Recommended with:
Pin Plate
700-816-034 / 700-400-034
or Clamping Plate
EAA0307G82A



EAK0375G07A

NINE COLLET SET



ERM0192G23A COLLET #1

» 48.3-61mm | 2.29-2.40"

ERM0192G24A COLLET #2

» 55.9-68.6mm | 2.20-2.70"

ERM0192G25A COLLET #3

» 63.50-76.2mm | 2.50-3.00"

ERM0192G26A COLLET #4

» 71.1-83.8mm | 2.79-3.29"

ERM0192G27A COLLET #5

» 78.7-91.4mm | 3.09-3.59"

ERM0192G28A COLLET #6

» 86.4-99.1mm | 3.40-3.90"

ERM0192G29A COLLET #7

» 94-106.7mm | 3.70-4.20"

ERM0192G30A COLLET #8

» 101.6-114.3mm | 4.00-4.50"

ERM0192G31A COLLET #9

» 109.2-121.9mm | 4.29-4.79"

ERM0209G06A

#10 COLLET



ERM0209G06A COLLET #10

» 120-126.5mm | 4.72-4.98"

*must be used with
EAA0277D59A large spacer disc
and/or EAC0058D68A spacer ring*

8100068

BASIC LIGHT TRUCK CONE KIT



ERM0050J23A LIGHT TRUCK CONE

» 107.19-174mm | 4.25"-6.85"

EAA0277D59A LARGE SPACER DISK

EAC0058D68A SPACER RING

QUICK NUT PRESSURE CUPS



EAC0058D07A PRESSURE CUP

» For use w/Quick Nut (standard)
EAA0263G66A

EAC0058D15A PROTECTIVE RING

» For use w/Quick Nut (standard)
EAA0263G66A

8-02040A2 PRESSURE CUP

For use w/Quick Nut (HD)
140-405-012

001 1041 0000 PROTECTIVE RING

For use w/Quick Nut (HD)
140-405-012

EAA0307G82A CLAMPING PLATE

For use w/Quick Nut (HD)
140-405-412

QUICK NUT STANDARD



EAA0263G66A QUICK NUT HANDLE [STANDARD]

» 40mm shaft

For use w/passenger cars only

EAC0058D08A PRESSURE RING

» For use w/Quick Nut (standard)
EAA0263G66A

ST0027008 REPLACEMENT HANDLE

» For use w/Quick Nut (standard)
EAA0263G66A

124-405-006

HEAVY-DUTY QUICK NUT HANDLE



QUICK NUT HANDLE (HD)

» 40mm shaft

*For use w/passenger cars and
Heavy-Duty truck wheels*

8-02040A2 PRESSURE CUP

8-02040A1 PRESSURE RING

001 1041 0000 PROTECTIVE RING

ADDITIONAL ACCESSORIES

ERK0306G66A UNIVERSAL WHEEL LIFT

For use w/passenger cars only

- » Pneumatic actuator
- » Foot-pedal control
- » Max weight: 153 lbs.
- » Max lift: 20"
- » WxDxH: 49x25x38"



NOT for use with integrated hood balancers or heavy-duty balancers

ERA0502G51A WHEEL LIFT

- » Pneumatic actuator
- » Hand activated
- » Dual pneumatic speed
- » Max weight: 153 lbs.
- » Max lift: 20"
- » WxDxH: 46x21x33"



NOT for use with integrated hood balancers or heavy-duty balancers

ERK0309J67A STORAGE STAND

- » Mobile storage stand for wheel balancing accessories



000 5883 9000 WEIGHT PLIERS

- » Wheel weight remover
- » Hammer tool



ERM0005D40A SELF-CALIBRATION WEIGHT



8-03191A BW2015 WHEEL LIFT

- For use w/L-cabinet balancers
- » Compatible with: geodyna 9000P, 8200P, 7800P, 6300
- » Pneumatic actuator
- » Hand-operated
- » Max weight: 153 lbs.
- » WxDxH: 37x24x36"



Max wheel diameter drops to 36" due to lift platform height

ERA0247G21A RIM WIDTH CALIPER

- » Manual measurement tool



ERK0341G70A RETROFIT KIT FOR PINS

- » 18 bolts
- » 18 nuts



ERA0346J75A 1" SPACER



EAA0260D80A



EAA0277D29A
14MM ADAPTER SHAFT

EAM0005D62A
GAUGE EXTENSION

EAM0005D82A
CENTERING CONE (2 PCS)

EAM0005D76A
BMW CONE (2 PCS)

8-01550A
ARBOR WRENCH

EAM0005D79A
KNURLED NUT M14

EAM0005D83A
BUSHING
» 25x14x40mm

EAM0005D80A
BMW BUSHING (2 PCS)
» 17x14x25mm

EAM0005D81A
SPACER (2 PCS)
» 25x14x15mm length

EAM0005D77A
BUSHING
» 20x14x40mm

EAM0005D78A
BUSHING
» 17x14x40mm

MOTORCYCLE ADAPTER KIT

EAA0277D03A



EAA0277D03A
10MM SHAFT ADAPTER
» Shaft Length: 205mm
» For use with EAA0260D80A

10MM SHAFT ADAPTER

EAA0277D29A



EAA0277D29A
EXTENDED SHAFT ADAPTER
» Shaft Length: 284.5mm
» Shaft Diameter: 14mm
» For use with EAA0260D80A

EXTENDED SHAFT ADAPTER

EAA0277D22A



EAA0277D22A
3/4" HARLEY DAVIDSON SHAFT ADAPTER
» 3/4" Harley Davidson shaft adapter w/1" bushing
» Shaft Length: 210mm
» For use with EAA0260D80A

3/4" HARLEY DAVIDSON SHAFT ADAPTER

2005540



2005540
HARLEY DAVIDSON SHAFT ADAPTER
» Bushing Diameter: 25mm
» Shaft Length: 404mm
» Shaft Diameter: 19mm
» For use with EAA0260D80A

HARLEY DAVIDSON SHAFT ADAPTER

SUZUKI, NTV & MOTO GUZZI V11

EAA0277D07A

EAA0277D07A

CONE SET

- » For use with 14mm shaft
- » For use with EAA0260D80A



APRILLA REAR MONO-LEVER

EAA0277D11A

EAA0277D11A

MONO-LEVER

- » For use with EAA0260D80A



BMW MONO-LEVER

EAA0260D16A

EAA0260D16A

MONO-LEVER

- » For use with EAA0260D80A



HONDA OR YAMAHA MONO-LEVER

EAA0277D09A

EAA0277D09A

MONO-LEVER

- » For use with EAA0260D80A



DUCATI OR TRIUMPH MONO-LEVER ADAPTER

EAA0277D20A

EAA0277D20A

DUCATI/TRIUMPH MONO-LEVER ADAPTER

- » For use with EAA0260D80A

Must use with 3/4" shaft adapter EAA0277D22A



EAA0346J58A

HEAVY-DUTY WHEEL LIFT



EAA0346J58A HEAVY-DUTY WHEEL LIFT

For heavy-duty balancers only

- » Pneumatic actuator
- » Hand-operated control

- » Max weight 551 lbs.
- » Max lift 18"

» WxDxH: 41x 23x 21"

EAA0307G80A

CENTERING ARMS



EAA0307G80A PROFESSIONAL 4-STAR CENTERING ARM

- » Fits 4x 275/285mm

PROFESSIONAL 5-STAR CENTERING ARM

- » Fits 10x 335mm
- » 10x 285.75mm
- » 10x 225.25mm

REPLACEMENT TRUCK STUDS



1921003 REPLACEMENT TRUCK STUD

- » Fits professional 4 & 5-star centering arms
- » Includes knurled nut
- » Length: 55mm
- » Diameter: 17-33.5mm

00112105000 REPLACEMENT TRUCK STUD

- » Fits professional 4 & 5-star centering arms
- » Includes knurled
- » Length: 58mm
- » Diameter: 17-38mm

00112106000

REPLACEMENT KNURLED NUT



00112106000 REPLACEMENT KNURLED NUT

- » Fits truck stud 1921003
- » Fits truck stud 00112105000

EAK0237J23A

SPARE PIN AND NUT



EAK0237J23A SPARE PIN AND NUT

- » 700-008-034 pin
- » Wide conical head
- » Head Diameter: 40mm
- » Length: 33.5mm

140 404 119

WING NUT



140 404 119 WING NUT

- » For units assembled after 10/2021

PASSENGER CAR SPACER

190 818 004

190 818 004
PASSENGER CAR SPACER
 » For units assembled after
 10/2021



ADDITIONAL HEAVY-DUTY ACCESSORIES

ERM0050J24R
CENTERING CONE
 » For truck wheels



00112292000
CENTERING DISK
 » For truck wheels



ERA0260D32R
HEAVY-DUTY SPACER
 » For truck wheels



8-00391A
RIM WIDTH CALIPER
 » For truck wheels





hofmann-equipment.com