

geoliner® 678




PRECISION WHEEL ALIGNMENT

ENGINEERING UNLEASHED™

geoliner® 678


ADVANCED, INTUITIVE DESIGN FOR QUICK AND EASY ALIGNMENTS

With the geoliner® 678, automotive shops can maximize their profitability by investing in an advanced wheel alignment system. This superior technology helps reduce operating costs and increases productivity while streamlining the entire alignment process. Not only will your shop achieve precision results – you'll also be able to do it faster than ever before! Make sure your business is equipped with the best tool for the job, and choose the geoliner® 678 for better performance, more efficient operation and greater profits.



AUTOMATIC HEIGHT TRACKING

Automatic height tracking follows the vehicle as it is raised and lowered on the lift, eliminating the need for manual readjustment of the camera and reducing time spent at the console.



VODI™

Using simple, easy-to-follow red and green LED lights, our patented Vehicle Orientation Directional Indicator (VODI™) leads technicians through the measuring procedure while the monitor is not in view, decreasing the time spent moving back and forth between vehicle and aligner.

PROFITS GROW AS SERVICE OPPORTUNITIES ARISE.

OPTIONAL SECONDARY SCREEN

Have access to all the readings from anywhere in the shop.
*Tablet not included



RIDE HEIGHT

Eliminate manual data entry, speed up measuring, and increase accuracy, using our specially designed, optional Ride Height Targets.

QUICK COMPENSATION AND OPTIMIZED ALIGNMENT FLOW

Boost productivity by eliminating unnecessary steps. The alignment process is greatly enhanced by our quick measurement compensation and optimized alignment flow, which also enables shops to grow their alignment business through increased productivity.

AUDIT MODE

Scan every vehicle with our unique Audit Mode function which performs a fast verification of the vehicle by measuring the front and rear toe, track width, camber, wheelbase, wheel diameter and cross dimensions. This will help identify any alignment problems so you can sell more services and keep your aligner operating at full-service to increase your shop's revenue.









VIN SCANNER

Scan vehicle ID numbers in an instant.

ADVANCED ADJUSTMENTS

- ☒ EZ-Toe
- ☒ A-Arm
- ☒ Cradle
- ☒ Single Tie Rod
- ☒ Drag Link
- ☒ Toe Curve
- ☒ Elevated
- ☒ Wheels Off
- ☒ Parts Calculator
- ☒ Parts & Tools



EZ-TOE

Turn the front wheels and access difficult adjustment points while still displaying centered toe readings.

WHEELS OFF MODE


Allows easy access to hard-to-reach adjustments.

PARTS CALCULATOR

Allows the user to enter the currently installed parts and select potential replacement parts to see the alignment results.

ADVANCED MEASUREMENTS

Measurements designed for advanced suspension troubleshooting and modified suspensions, including ride height, SAI, frame angle, max turn and toe out on turns.



XD CAMERA TECHNOLOGY

Cutting-edge high-definition video speed cameras continuously monitor the alignment process and instantly detect common environmental conditions or vehicle issues with the potential to cause misalignment.

SMART NOTIFICATION SYSTEM

Our smart notification system maximizes efficiency and accuracy by automatically identifying and fixing issues like suspension stress or environmental errors, and only requires technician intervention when more information is needed to take different corrective action.

MITCHELL 1®

Access the largest database in the market for alignment repair information in seconds from Mitchell 1®.

CLOUD SERVICES

Quickly email or print service reports for clients from anywhere in the shop.

CLAMPS

Our standard AC400 clamps provides a quick and secure clamping without touching the rim.




AC400 clamp



AC200 clamp (optional)
(EAK0350J80A)

MOBILITY KIT

For flexible installation and usage, the cross-beam can be mounted to the cabinet using the optional mobility kit (EAK0320J78C).



TECHNICAL SPECIFICATIONS

Part Number	EEWA715TBV3
Track Width	48-96" 122-244cm
Tire Diameter - AC400	19-39" 48-99cm
Rim Size - AC200	12-24" 30-61cm
Power Supply	110V 50/60Hz

OPTIONAL ACCESSORIES:

AC400 Dual Wheel Adapter	EAK0305J50A
AC200 Wheel Clamp Floor Stand	EAK0289J71A
AC200 Wheel Clamp Wall Mount	EAA0446J76B
AC200 Quick Clamp Kit	EAK0268J63B
Live Ride Height Targets	EAK0320J93A

STANDARD ACCESSORIES

AC400 Clamps & Targets	Two Wheel Chocks
Steering Wheel Holder	Color Printer
Brake Pedal Depressor	Vin Scanner

Wheels Off Hub Adapter	EAK0222J83B
2" Wheel Hub Extensions	EAK0289J62B
Alignment Stand with Set Bridges	RB24
4" Clamp Extension Kit	EAK0268J62A



US 800.251.4500

CANADA 800.267.2185



Snap-on® Total Shop Solutions offers a wide range of garage equipment solutions for workshops, garages, car dealers and tire shops, thanks to the specific solutions provided by its portfolio of premium brands. Hofmann® is a brand of TSS and is committed to product innovation and improvement. Therefore, specifications listed in this sell sheet may change without notice. ©2026 Snap-on Incorporated. Hofmann® is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders. sswa2302b 07/2026

HOFMANN®
HOFMANN-EQUIPMENT.COM