

## geoliner®320



PRECISION WHEEL ALIGNMENT

**ENGINEERING UNLEASHED™** 

## PORTABLE ON-CAR 3D WHEEL ALIGNER

portable design that eliminates floor space constraints, enabling technicians to quickly perform alignments with precision, even in a smaller work area. Incorporating the same software and functionalities found in our traditional cross-beam alignment systems, this advanced machine bolsters productivity while occupying a smaller footprint during alignment procedures. With the geoliner® 320, automotive shops can utilise a versatile alignment solution that delivers exact results with the convenience of keeping wheel services in-house. Lift-mounted reference pods, camera pods, and XD wheel targets ensure optimal positioning, while our exclusive quick-release clamps securely attach to nearly any variety of lift, without requiring any room in front to perform services.



### PROFITS GROW AS SERVICE OPPORTUNITIES ARISE.

#### **VODI**TM

Easy-to-follow red and green LED lights leads technicians through the measuring procedure while the monitor is not in view, decreasing the time spent moving back and forth between vehicle and aligner.





#### ON-RACK AND ON-CAR

Cordless pods attach directly to the tyres using a wireless communication system with Bluetooth connectivity, delivering the highest degree of flexibility and mobility.



#### **DURABLE CAMERA PODS**

Designed to withstand rigorous use, the revolutionary balancing weight feature keeps these impact-resistant pods level at all times.



#### COMPLETELY MOBILE

With a versatile console that serves as both a viewing and charging station, you can move the unit throughout your shop with ease.



#### **RECHARGEABLE BATTERIES**

Built right into the cart, the innovative battery charger houses the batteries, charging them continuously when not in operation, so they are always primed for performance.



#### **OPTIONAL SECONDARY SCREEN**

Have access to all the readings from anywhere in the shop. \*Tablet not included.



#### geoliner®32[]

#### **NOTIFICATION SYSTEM**

Our smart notification system maximises efficiency and accuracy by automatically identifying and fixing issues like suspension stress or environmental errors, and only requires technician intervention when more information is needed to take different corrective action.



#### **COMPENSATE:**

Measurement ok and compensated with



Wheel imperfections are compensated and user is warned



#### ALFRT:

Critical errors are detected and corrective actions are displayed

# INTELLIGENT AND PREDICTIVE ALIGNMENT WORKFLOW



#### **AC700 CLAMPS**



With a lightweight and durable design, AC700 clamps have the capacity to easily accommodate rims that range from 11"-22".

TECHNICAL SPECIFICATIONS	
Track Width	48-96"   122-244cm
Tyre Diameter - AC700	11-22"   30-55cm
Power Supply	100-230V 50/60Hz

#### RIDE HEIGHT MEASUREMENT



Eliminate manual data entry, speed up measuring, and increase accuracy using our specially designed, optional Ride Height Targets.

STANDARD ACCESSORIES	
Two Wheel Chocks	Brake Pedal Depressor
Steering Wheel Holder	Color Printer

FIND A DISTRIBUTOR

AUSTRIA +43 2641 24524 FRANCE +33 134 48 58 78 GERMANY +49 8634 622 0 ITALY 39 0522 733 411







