

geodyna® 3700

geodyna 3700

10,

O,

F1 F2 F3 F4 F5 F6

CAR WHEEL BALANCER

ENGINEERING UNLEASHED™

geodyna® 3700

CAR WHEEL BALANCER WITH MONITOR

The geodyna[®] 3700 Wheel Balancer from Hofmann[®] combines technology with a compact design, delivering service. Built to meet the demands of today's vehicles, this balancer ensures accurate results with minimal effort, enhancing shop productivity.

The geodyna[®] 3700 offers an intuitive interface that simplifies operation for technicians of all skill levels. Semi-automatic parameter entry and easyALU[™] mode streamline setup, while the Split Weight Mode allows for discreet weight placement behind spokes, preserving wheel aesthetics. Supporting static, dynamic, and motorcycle balancing modes, this balancer handles a wide range of wheel types with ease.

With integrated weight storage and a user-centric design, the geodyna® 3700 empowers shops to deliver accurate results and maximize profitability.



SEMI-AUTOMATIC DATA Entry

With its intuitive gauge arm and easyALU™ technology, the system lets technicians touch the rim, automatically logging dimensions and selecting the correct weightbalancing mode.



MONITOR AND INTEGRATED TOUCHPAD

This system features a raised monitor and integrated touchpad, providing convenient control, optimizing workflow and simplifying the balancing process.

QUICKBAL™



Engineered for optimal performance, this feature intelligently adjusts the number of revolutions according to each wheel's specifications. Operating at maximum speed, it effectively reduces cycle time, delivering swift and efficient results.

TECHNICAL SPECIFICATIONS	
Max Wheel Diameter	34" 863mm
Max Wheel Weight	143 lb. 65 kg
Max Wheel Width	400mm
Rim Diameter Range	12" - 22" 305 - 560mm
Rim Width Range	3" - 16" 76 - 407mm
Data Entry	2D SAPE
Power Requirements	230/240V, 1.5A, 1ph, 50/60Hz
Dimensions (H x D x W)	63" x 39" x 37" 1,633 x 1,111 x 1,036mm

STANDARD ACCESSORIES

- Universal Weight Plier
- Rim Width Caliper
- User Calibration Weight
- Storage Peg

Pressure Ring

- Pressure Cup
- 3 x Cones: 42 116mm



SPLIT WEIGHT MODE

This feature ensures accurate balancing and discreet weight concealment behind spokes, maintaining the wheel's aesthetic appeal and visual presentation.



QUICK NUT CLAMP

An easy-to-use manual clamping device that allows a secure attachment of the wheel to the balancer shaft.





LATIN AMERICA 800.225.5786

Snap-on® Total Shop Solutions offers a wide range of garage equipment solutions for workshops, garages, car dealers and tire shops, thanks to the specific solutions provided by its portfolio of premium brands. Hofmann® is a brand of TSS and is committed to product innovation and improvement. Therefore, specifications listed in this sell sheet may change without notice. @2025 Snap-on Incorporated. Hofmann® is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All other marks are marks of their respective holders. swt/2039 (LA en) 0/7/2025

