

HOFMANN® 

monty® **SERIES**



RIM CLAMPING TIRE CHANGER

ENGINEERING UNLEASHED™

The monty® series presents a winning combination of traditional design and cutting-edge features that enhance productivity and prevent damage. It is an ideal addition to smaller, independent shops that cater to a diverse range of wheel and tyre combinations. The on-floor bead breaker, conveniently operated through an ergonomically located pedal, ensures the effortless and safe breaking of even the hardest beads. The monty® series offers a suite of functions that simplify the process of changing ultra-high performance and run-flat tyres. Incorporating a blend of traditional design and modern productivity-boosting features, the monty® series is a highly recommended addition to any shop, promising enhanced efficiency and performance.



MONTY® 3550 GP PLUS



MONTY® 3300-24 SMARTSPEED / GP PLUS



MONTY® 3300-22 SMARTSPEED / GP PLUS



MONTY® 1270 SMART



SMARTSPEED™

This revolutionary, patent-protected technology optimizes the applied torque on the wheel and automatically establishes the maximum rotational speed of the wheel.



PNEUMATIC EASYMONT®

Includes the top roller, pressing foot and lifting disk to streamline the mounting and demounting of low-profile and high-performance tires, enabling a single technician to perform tasks with ease.



ON-FLOOR BEAD BREAKER

A conventional side-shovel bead breaker, featuring an ergonomically positioned pedal control situated a small distance from the shovel, is the quickest solution for efficiently handling a range of tires.



TILT-TOWER

Utilizing a pneumatic design, this feature maximizes clearance for efficient placement of the tire onto the turntable.

SWING-ARM

Optimization of space is skillfully ensured with a mounting arm that pivots to the side, allowing the machine to be efficiently installed directly adjacent to a wall.



PNEUMATIC VERTICAL ARM

Swift and ergonomically designed, this feature effectively accelerates the process of positioning the mounting head on all types of wheels.



PLUS CONFIGURATION

The plus kit is certified by wdk. They come standard with easymont® pro and plus kit that enable the correct mounting and demounting of UHP and run-flat tyres.. It consists of plastic bead breaker disc, tyre lever plus, rod with tapered roll, plastic tire protector, triangular bead pusher, spacers and plastic protector for bead breaker blade, Smart Bead Spacer and a bead clamp.



TOOL BOX WITH AIR PRESSURE GAUGE

Providing a secure storage space, the tool box includes four convenient shelves for the organization of tools, valves and accessories.



ADJUSTABLE CLAMPING JAWS

To safeguard the wheel's integrity, these nylon-covered jaws are self-centering and grip the wheel firmly for elevated stability and safety.



FIXED JAWS

To safeguard the wheel's integrity, these nylon-covered jaws are self-centering and grip the wheel firmly for elevated stability and safety.



TOP-SIDE BEAD SEATER

This ergonomic precision tool quickly injects compressed air into a tire, ensuring the bead seals tightly onto the rim.



TECHNICAL SPECIFICATIONS

monty®	3550 smartSpeed/ GP plus	3300-24 smartSpeed/ GP plus	3300-22 smartSpeed/ GP plus	1270 smart
Air Pressure Required	116-174 PSI 8-12 bar	116-174 PSI 8-12 ba	116-174 PSI 8-12 bar	116-174 PSI 8-12 bar
Dimensions HxWxD	58"x65"x90" 147x165x229cm	64"x66"x49" 162x169x126cm	64"x66"x49" 162x169x126cm	50"x68"x45" 125x173x115cm
Max Rim Diameter	26" 66cm	24" 61cm	24" 61cm	22" 56cm
Max Rim Width	16" 41cm	12" 31cm	12" 31cm	12" 31cm
Max Tire Width	17" 43cm	13" 33cm	13" 33cm	13" 33cm
Max Wheel Diameter	47" 119cm	39" 100cm	39" 100cm	39" 100cm
Power Supply	230V 1ph 50-60Hz 16A	230V 1ph 50-60Hz 16A	230V 1ph 50-60Hz 16A	230v 1ph 50Hz 10A



FIND A DISTRIBUTOR

<https://hofmann-equipment.com/la-en/distributor>



Snap-on® Total Shop Solutions offers a wide range of garage equipment solutions for workshops, garages, car dealers and tire shops, thanks to the specific solutions provided by its portfolio of premium brands. Hofmann® is a brand of TSS and is committed to product innovation and improvement. Therefore, specifications listed in this sell sheet may change without notice. ©2024 Snap-on Incorporated. Hofmann® is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders. sswh23021 (LA en) 3/2024

LATIN AMERICA
+1 501 505 2794

HOFMANN 
HOFMANN-EQUIPMENT.COM